

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

JET PUMP

CPT and CPJ Series marine jet pump ejector pump

ISO9001 Supplier

Class Certificate

Export Supply

Description: CPT and CPJ jet pumps have the characteristics of simple structure, no moving parts and long service life. They have good self-priming performance and can work continuously and stably. It is mainly use...



Key Highlights

Category	Jet pump
Standard	DIN
Material	It is also widely used in petrochemical, environmental protection, water...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Jet pump	Model / SKU	CPT-and-CPJ-Series-marine-jet-pump-ejector-pump
Standard	DIN	Material	It is also widely used in petrochemical, environmental protection, water conservancy, building materials and other industries for pumping and discharging sea fresh water, mixing liquid, river dredging, sewage treatment, conveying powder, etc.
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		



CONTENTS

■ Description:


■ Technical data:

Description:

CPT and CPJ jet pumps have the characteristics of simple structure, no moving parts and long service life. They have good self-priming performance and can work continuously and stably. It is mainly used in ship drainage system. It is also widely used in petrochemical, environmental protection, water conservancy, building materials and other industries for pumping and discharging sea fresh water, mixing liquid, river dredging, sewage treatment, conveying powder, etc.


CPT and CPJ jet pumps are the updated products of CP jet pumps. The suction flange axis of CPT pump is perpendicular to the pump body axis, and the suction flange axis of CPJ pump is coaxial with the pump body axis. Both have the characteristics of high efficiency and convenient installation.

Technical data:



Model	Rated Capacity m ³ /h	Working Pressure MPa	Discharge Pressure MPa	Suction Head m	Water Consumption m ³ /h
CPT5-0.3-0.05	5	0.3	0.05	4	6
CPT10-0.3-0.05	10	0.3	0.05	4	12
CPT15-0.3-0.05	15	0.3	0.05	4	19
CPT20-0.3-0.05	20	0.3	0.05	4	24
CPT30-0.3-0.05	30	0.3	0.05	4	36
CPT40-0.3-0.05	40	0.3	0.05	4	47
CPT50-0.3-0.06	50	0.3	0.06	3	55
CPT100-0.3-0.06	100	0.3	0.06	3	110
CPT5-0.7-0.08	5	0.7	0.08	4	3.6
CPT10-0.7-0.08	10	0.7	0.08	4	7
CPT20-0.7-0.08	20	0.7	0.08	4	14
CPT30-0.7-0.08	30	0.7	0.08	4	21
CPT30-0.7-0.15	30	0.7	0.15	5	40
CPT50-0.7-0.08	50	0.7	0.08	4	35
CPT60-0.7-0.06	60	0.7	0.06	6	50
CPT80-0.7-0.10	80	0.7	0.1	5	90
CPT100-0.7-0.09	100	0.7	0.09	2	60

CPT100-0.7-0.10	100	0.7	0.1	5	90
CPT150-0.7-0.09	150	0.7	0.09	2	100
CPT200-0.7-0.09	200	0.7	0.09	2	120
CPT15-0.5-0.10	15	0.5	0.1	7	25
CPT10-1.0-0.2	10	1	0.2	5	17
CPT50-1.0-0.2	50	1	0.2	5	64
CPT100-0.2-0.07	100	0.2	0.07	3	270



Model	Rated Capacity m ³ /h	Working Pressure MPa	Discharge Pressure MPa	Suction Head m	Water Consumptionm ³ /h
CPJ10-1.2-0.25	10	1.2	0.25	5	15
CPJ10-1.4-0.35	10	1.4	0.35	5	17
CPJ10-0.65-0.20	10	0.65	0.2	5	35
CPJ15-0.7-0.12	15	0.7	0.12	7	28
CPJ30-0.8-0.12	30	0.8	0.12	3	30
CPJ50-0.6-0.22	50	0.6	0.22	2.5	115
CPJ70-0.7-0.10	70	0.7	0.1	3	60
CPJ80-0.7-0.17	80	0.7	0.17	5	105
CPJ80-0.9-0.20	80	0.9	0.2	5	115
CPJ100-1.0-0.20	100	1	0.2	3	110
CPJ120-1.0-0.20	120	1	0.2	3	130
CPJ130-0.9-0.30	130	0.9	0.3	5	320
CPJ100-0.7-0.12	100	0.7	0.12	7	150
CPJ130-1.0-0.30	130	1	0.3	5	250
CPJ200-1.1-0.30	200	1.1	0.3	5	350
CPJ300-1.25-0.25	300	1.25	0.25	4	400
CPJ300-1.15-0.25	300	1.15	0.25	5	470
CPJ350-1.1-0.22	350	1.1	0.22	3	370

CPJ170-0.25-0.10	170	0.25	0.1	5	600
CPJ600-1.2-0.10	600	1.2	0.1	4	340
CPJ250-0.3-0.15	250	0.3	0.15	4	1050
CPJ630-1.3-0.25	630	1.3	0.25	5	750
CPJ400-0.3-0.15	400	0.3	0.15	5	1750