

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CENTRIFUGAL PUMP

65CQL/W-10 Marine Vertical Submersible Electricity Pump

ISO9001 Supplier

Class Certificate

Export Supply

CQL series marine vertical submersible electrical pump is the fresh water pump, it is widely used to delivery sea water and fresh water that the temperature should no exceed 70°C.

CQLW series marine vertical submersible ...



Key Highlights

Category	Centrifugal Pump
Standard	EN
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	Centrifugal Pump	Model / SKU	CQL-CQLW-Series-Marine-Vertical-Submersible-Electricity-Pump
Standard	EN	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China 65CQL/W-10 Marine Vertical Submersible Electricity Pump:

CQL series marine vertical submersible electrical pump is the fresh water pump, it is widely used to delivery sea water and fresh water that the temperature should no exceed 70°C.

CQLW series marine vertical submersible sewage electrical pump is widely used for delivering sea water and fresh water that the temperature should not exceed 70°C inside shipping, it also can be used to transport foul water which contain fixed impurity in the cargo hold,engine room and water cabin.The proportion of impurity content should not exceed 30%,the diameter of solid roundish is 5-20mm.



Main Technical Data				
Model	Flow rate Q (m ³ /h)	Lift H (m)	Rev speed (r/min)	Motor power (KW)
40CQL/W-10	10	10	2900	1.1
50CQL/W-10	15	10	2900	1.5
50CQL/W-14	25	14	2900	2.2
50CQL/W-16	30	16	2900	3
50CQL/W-25	20	25	2900	4
65CQL/W-10	40	10	2900	2.2
65CQL/W-15	40	15	1450	4
65CQL/W-30	25	30	2900	5.5
65CQL/W-27	50	27	2900	7.5
80CQL/W-13	60	13	1450	4
80CQL/W-14	70	14	1450	5.5
100CQL/W-9	100	9	2900	4
100CQL/W-11	100	11	1450	5.5
100CQL/W-15	100	15	1450	7.5
100CQL/W-20	100	20	1450	11
100CQL/W-25	100	25	1450	15
100CQL/W-35	100	30	1450	18.5
150CQL/W-8	150	35	1450	22
150CQL/W-9	180	8	1450	7.5
150CQL/W-12	180	9	1450	11
150CQL/W-13	200	12	1450	11

Alao have bigger pumps, pls contact us for more information.

