

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

DREDGING CUTTER HEADS

CSD Advance Dredging Cutter Head

Technical Specification Material: 30Mn-Mn13 Power: 35KW to 6000KW Strong Digging Force
Size and Drawing Dia of suction pipe Inner di...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Dredging Cutter Heads
Material	Technical Specification Material:
Weight / Size	35KW to 6000KW Strong Digging Force Size and Drawing Dia of suction pipe...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Dredging Cutter Heads	Model / SKU	CSD-Advance-Dredging-Cutter-Head
Material	Technical Specification Material:	Weight / Size	35KW to 6000KW Strong Digging Force Size and Drawing Dia of suction pipe Inner dia(mm) Rotated speed(rpm) Remer arm No 250-300 830 0-34 5 350-400 955 0-35 5 350-400 955 0-30 5 400-450 1330 0-30 5 500-550 1550 0-30 5 600-650 1750 0-32 5 600-650 1750 0-30 5 600-650 1750 0-24 5 600-650 1830 0-30 5 650-700 2000 0-30 5 700-750 2150 0-30 6 800-850 2260 0-30 6 850-900 2330 0-30 6 900-950 2400 0-30 6 We also can supply as per your request.
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ Technical Specification	■ Size and Drawing
-----------------	---------------------------	--------------------


Technical Specification

Material: 30Mn-Mn13

Power: 35KW to 6000KW


Strong Digging Force

Size and Drawing



Dia of suction pipe	Inner dia(mm)	Rotated speed(rpm)	Remer arm No
250-300	830	0-34	5
350-400	955	0-35	5
350-400	955	0-30	5
400-450	1330	0-30	5
500-550	1550	0-30	5
600-650	1750	0-32	5
600-650	1750	0-30	5
600-650	1750	0-24	5
600-650	1830	0-30	5
650-700	2000	0-30	5
700-750	2150	0-30	6
800-850	2260	0-30	6
850-900	2330	0-30	6
900-950	2400	0-30	6





We also can supply as per your request.