

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

FIRE PUMP

CWY Series Marine Diesel Engine Emergency Fire Pump

ISO9001 Supplier

Class Certificate

Export Supply

CWY Series Marine diesel engine emergency fire pump CWY Series Marine diesel engine emergency fire pump has the feature of Light weight, small volume, flexible movement, starting fast, fast water, fuel tank capaci...



Key Highlights

Category	Fire Pump
Standard	EN
Material	Cast iron pump cast, Bronze impeller, Stainless steel pump shaft, Diesel...
Weight / Size	CWY Series Marine diesel engine emergency fire pump CWY Series Marine di...
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Fire Pump	Model / SKU	CWY-Series-Marine-Diesel-Engine-Emergency-Fire-Pump
Standard	EN	Material	Cast iron pump cast, Bronze impeller, Stainless steel pump shaft, Diesel engine driven
Weight / Size	CWY Series Marine diesel engine emergency fire pump CWY Series Marine diesel engine emergency fire pump has the feature of Light weight, small volume, flexible movement, starting fast, fast water, fuel tank capacity big, corrosion resistant, reliable operation, convenient maintenance, etc.	Certificate	CCS
Warranty	12 Months unless specified otherwise	Origin	China


CONTENTS	■ CWY Series Marine diesel engine emergency fire pump	■ Construction Specification
	■ Performance Curve for reference for type 65CWY-40	■ Main Specification




CWY Series Marine diesel engine emergency fire pump

CWY Series Marine diesel engine emergency fire pump has the feature of Light weight, small volume, flexible movement, starting fast, fast water, fuel tank capacity big, corrosion resistant, reliable operation, convenient maintenance, etc.

Construction Specification



Performance Curve for reference for type 65CWY-40



Main Specification

CWY Series Marine diesel engine emergency fire pump

Type	Capacity	Lift	Speed	Suction lift	Weight time	Efficiency	Diesel engine		Suc./Out Diameter	Weight
	(m ³ /h)	(m)	(r/min)	(m)	(S)	(%)	Type	Power	(mm)	(kg)
65CWY-25	20	25	3600	5 ~ 6	≤35	63	KM178F	4kw	65/50	70
65CWY-30	25	30	3600	5 ~ 7.5	≤35	63	KM186F	6kw	65/60	70
65CWY-40	30	40	3600	6 ~ 7	≤35	65	KM186F	6kw	65/50	87

CWY Series Marine diesel engine emergency fire pump(Big Size)



Type	Capacity	Lift	Speed	Suction lift	Weight time	Efficiency	Diesel engine		Suc./Out Diameter	Weight
	(m ³ /h)	(m)	(r/min)	(m)	(S)	(%)	Type	Power	(mm)	(kg)
80CWY-55	60	55	3500	6 ~ 7	≤35	68	K M 3 7 6 Q C	1 6	80/50	240
80CWY-70	60	70	3500	6 ~ 7	≤35	66	K M 3 3 8 8 G	2 2	80/80	-
100CWY-45	100	45	2900	4 ~ 5	≤100	50	K D 3 8 8	2 5	100/100	480
100CWY-70	90	70	2900	4 ~ 5	≤100	66	K D 4 8 8	3 1	100/100	500
150CWY-55	160	55	2900	4 ~ 5	≤100	48	K M 4 8 8 Z G	4 2	150/150	540