

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

VORTEX PUMP

## CXZ Series Marine Self-Priming Vortex Fresh Water Pump

- ISO9001 Supplier
- Class Certificate
- Export Supply

CXZ Series Marine Self-Priming Vortex Fresh Water Pump CXZ Series Marine Self-Priming Vortex Pump is used to pumping fresh and seawater for drinking, washing and sanitary in the vessel. Main Spe...

	Key Highlights	
	<b>Category</b>	Vortex Pump
	<b>Standard</b>	EN
	<b>Material</b>	Cast iron pump cast, Bronze impeller, Stainless steel pump shaft
	<b>Weight / Size</b>	Main Specification Type Capacity Head (NPSH)r Speed Shaft power Motor po...
<b>Certificate</b>	CCS	
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.		



Technical Specifications			
<b>Category</b>	Vortex Pump	<b>Model / SKU</b>	CXZ-Series-Marine-Self-Priming-Vortex-Fresh-Water-Pump
<b>Standard</b>	EN	<b>Material</b>	Cast iron pump cast, Bronze impeller, Stainless steel pump shaft
<b>Weight / Size</b>	Main Specification Type Capacity Head (NPSH)r Speed Shaft power Motor power Suction head Efficiency Unit weight (m3/h) (l/s) (m) (m) (r/min) (kw) (kw) (m) (%) (kg) 20CXZ-35 1 0.3 35 7 2900 0.43 0.75 3 20 42 32CXZ-25 3.5 1 28 7 2900 1.48 1.5 3 18 57 32CXZ-40 3 0.8 40 6 2900 1.82 2.2 4 18 57 40CXZ-30 9 2.5 30 6 2900 2.54 4 4 29 80	<b>Certificate</b>	CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

<b>CONTENTS</b>	<ul style="list-style-type: none"> <li>■ CXZ Series Marine Self-Priming Vortex Fresh Water Pump</li> <li>■ Main Specification</li> </ul>
-----------------	--



## CXZ Series Marine Self-Priming Vortex Fresh Water Pump

CXZ Series Marine Self-Priming Vortex Pump is used to pumping fresh and seawater for drinking, washing and sanitary in the vessel.

## Main Specification

Type	Capacity		Head (m)	(NPSH) <sub>r</sub> (m)	Speed (r/min)	Shaft power (kw)	Motor power (kw)	Suction head (m)	Efficiency (%)	Unit weight (kg)
	(m <sup>3</sup> /h)	(l/s)								
20CXZ-35	1	0.3	35	7	2900	0.43	0.75	3	20	42
32CXZ-25	3.5	1	28	7	2900	1.48	1.5	3	18	57
32CXZ-40	3	0.8	40	6	2900	1.82	2.2	4	18	57
40CXZ-30	9	2.5	30	6	2900	2.54	4	4	29	80