

HIGH PRESSURE WATER COOLED MARINE AIR COMPRESSOR

CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compressor

ISO9001 Supplier

Class Certificate

Export Supply

Start the prime mover and the compressor crank begins to run, driving the step piston to move up and down. Each working volume begins to shorten in proper order and recycle with variation. The air is admitted in the comp...



Key Highlights

| | |
|----------------------|---|
| Category | High Pressure Water Cooled Marine Air Compressor |
| Standard | EN |
| Material | Crankcase assembly Steel casting crankcase is used to support the crank ... |
| Weight / Size | CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compr... |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications | | | |
|--------------------------|--|--------------------|---|
| Category | High Pressure Water Cooled Marine Air Compressor | Model / SKU | CZ-0-41-200A-Horizontal-Navy-Marine-High-Pressure-Water-Cooled-Air-Compressor |
| Standard | EN | Material | Crankcase assembly Steel casting crankcase is used to support the crank and fix first-stage and second-stage cylinders. |
| Weight / Size | CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compressor Main Specifications Model Nominal Pressure Free Air Delivery Power Outlet Dimensions Weight Mpa M3/min KW mm mm Kg CZ-0.41/200A 200 0.41 11 M18*1.5 1125*500*760 350 | Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |
| Warranty | 12 Months unless specified otherwise | Origin | China |

| | | |
|-----------------|---|--|
| CONTENTS | <ul style="list-style-type: none"> ■ China CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compressor: ■ CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compressor Main Specifications | <ul style="list-style-type: none"> ■ Crankcase assembly |
|-----------------|---|--|

China CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compressor:

Start the prime mover and the compressor crank begins to run, driving the step piston to move up and down. Each working volume begins to shorten in proper order and recycle with variation. The air is admitted in the compressor from the atmosphere via filter cap and compressed in three cylinders successively as to achieve desired final pressure. Air after each-stage compression shall be cooled and then proceed into next-stage cylinder working volume for further compression. Finally, the compressed air is charged in the cylinder after oil-water separation via the separator.

Crankcase assembly

Steel casting crankcase is used to support the crank and fix first-stage and second-stage cylinders. There is a bearing hole both in the front and back of the crankcase as to fix the end caps. Inside the end caps, it is mounted with tapered roller bearings as to support the crank. It is set with a spacer to adjust the axial clearance of the crank between the end cap and crankcase hole. In addition, there is a sealing ring mounted in the front end cap (at the side of shaft coupling) as to prevent the lubricating oil from effusion along the shaft.

CZ-0.41/200A Horizontal Navy Marine High Pressure Water Cooled Air Compressor Main Specifications

| Model | Nominal Pressure | Free Air Delivery | Power | Outlet | Dimensions | Weight |
|--------------|------------------|-------------------|-------|---------|--------------|--------|
| | Mpa | M3/min | KW | mm | mm | Kg |
| CZ-0.41/200A | 200 | 0.41 | 11 | M18*1.5 | 1125*500*760 | 350 |