

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

HIGH PRESSURE WATER COOLED MARINE AIR COMPRESSOR


CZS-0.5/150 Navy Marine High Pressure Water Cooled Air Compressor

ISO9001 Supplier

Class Certificate

Export Supply

Design Particulars: The emergency marine high pressure air compressor has the advantages of fast start-up, safety and stability, small volume and compact structure. Technical Data: ...



Key Highlights

Category	High Pressure Water Cooled Marine Air Compressor
Standard	EN
Weight / Size	Model Pressure (MPa) Stages Speed r/min Capacity (m3/h) Power required (...)
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	High Pressure Water Cooled Marine Air Compressor	Model / SKU	CZS-0-5-150-Navy-Marine-High-Pressure-Water-Cooled-Air-Compressor
Standard	EN	Weight / Size	Model Pressure (MPa) Stages Speed r/min Capacity (m3/h) Power required (KW) Power of Motor (KW) Type pf Cooling Dimension (LxWxH) 1-0.433/60 6 2 500 26 9.5 11 Water Cooled 1170*700*1220 CZS-0.5/150 15 3 730 30 10 11 1170*700*1220 CZS- 1.6/150 15 4 900 100 37 45 1800*850*1540 CZS-1.4/200 20 4 1000 84 35 45 1800*850*1540 CZS-1.4/250 25.0 4 970 84 42 45 1800*850*1540 CZS-1.6/250 25.0 4 1170 100 43 45 1800*850*1540
Certificate	CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	<input type="checkbox"/> Design Particulars: <input checked="" type="checkbox"/> Technical Data:
-----------------	--


Design Particulars:



The emergency marien high pressure air compressor has the advantages of fast start-up, safety and stability, small volume and compact structure.

Technical Data:

Model	Pressure (MPa)	Stages	Speed r/min	Capacity (m3/h)	Power required (KW)	Power of Motor (KW)	Type pf Cooling	Dimension (LxWxH)



1-0.433/60	6	2	500	26	9.5	11	Water Cooled	1170*700*1220
CZS-0.5/150	15	3	730	30	10	11		1170*700*1220
CZS-1.6/150	15	4	900	100	37	45		1800*850*1540
CZS-1.4/200	20	4	1000	84	35	45		1800*850*1540
CZS-1.4/250	25.0	4	970	84	42	45		1800*850*1540
CZS-1.6/250	25.0	4	1170	100	43	45		1800*850*1540

