

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

ELECTRICAL CONNECTORS

CZXS3-2/15-3AB Reefer Container Power Socket Box

ISO9001 Supplier

Class Certificate

Export Supply

CZXS3-2/15-3AB Reefer Container Power Socket Box Technical Features Voltage AC380/440V 50/60Hz Current 32A ...



Key Highlights

Category	Electrical Connectors
Standard	CB
Material	CZXS3-2/15-3AB Reefer Container Power Socket Box Technical Features Volt...
Weight / Size	CZXS3-2/15-3AB Reefer Container Power Socket Box Technical Features Volt...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Electrical Connectors	Model / SKU	CZXS3-2-15-3AB-Reefer-Container-Power-Socket-Box
Standard	CB	Material	<p>CZXS3-2/15-3AB Reefer Container Power Socket Box Technical Features Voltage AC380/440V 50/60Hz Current 32A Pole 3P+E Body Material Stainless Steel 304 Socket Brass Switch Molded Case Circuit Breaker (MCCB) Protection IP67 Standard IEC60309 Type List Gang Number with Monitoring Receptacle without monitoring receptacle Weight Single Gang CZXS3-2/15-ABJ CZXS3-2/15-AB 6.5KG Double Gang CZXS3-2/15-2ABJ CZXS3-2/15-2AB 11.5KGS Three Gang CZXS3-2/15-3ABJ CZXS3-2/15-3AB 17KGS Four Gang CZXS3-2/15-4ABJ CZXS3-2/15-4AB 22.5KGS Five Gang CZXS3-2/15-5ABJ CZXS3-2/15-5AB 28KGS Six Gang CZXS3-2/15-6ABJ CZXS3-2/15-6AB 33.5KGS Seven Gang CZXS3-2/15-7ABJ CZXS3-2/15-7AB 39KGS Eight Gang CZXS3-2/15-8ABJ CZXS3-2/15-8AB 44.5KGS CZXS3-2/15-3AB Reefer Container Power Socket Box Photo</p>



Weight / Size	CZXS3-2/15-3AB Reefer Container Power Socket Box Technical Features Voltage AC380/440V 50/60Hz Current 32A Pole 3P+E Body Material Stainless Steel 304 Socket Brass Switch Molded Case Circuit Breaker (MCCB) Protection IP67 Standard IEC60309 Type List Gang Number with Monitoring Receptacle without monitoring receptacle Weight Single Gang CZXS3-2/15-ABJ CZXS3-2/15-AB 6.5KG Double Gang CZXS3-2/15-2ABJ CZXS3-2/15-2AB 11.5KGS Three Gang CZXS3-2/15-3ABJ CZXS3-2/15-3AB 17KGS Four Gang CZXS3-2/15-4ABJ CZXS3-2/15-4AB 22.5KGS Five Gang CZXS3-2/15-5ABJ CZXS3-2/15-5AB 28KGS Six Gang CZXS3-2/15-6ABJ CZXS3-2/15-6AB 33.5KGS Seven Gang CZXS3-2/15-7ABJ CZXS3-2/15-7AB 39KGS Eight Gang CZXS3-2/15-8ABJ CZXS3-2/15-8AB 44.5KGS CZXS3-2/15-3AB Reefer Container Power Socket Box Photo	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China CZXS3-2/15-3AB Reefer Container Power Socket Box:

CZXS3-2/15-3AB Reefer Container Power Socket Box

Technical Features

Voltage	AC380/440V 50/60Hz
Current	32A
Pole	3P+E
Body Material	Stainless Steel 304
Socket	Brass
Switch	Molded Case Circuit Breaker (MCCB)
Protection	IP67
Standard	IEC60309

Type List



Gang Number	with Monitoring Receptacle	withou monitoring receptacle	Weight
Single Gang	CZXS3-2/15-ABJ	CZXS3-2/15-AB	6.5KG
Double Gang	CZXS3-2/15-2ABJ	CZXS3-2/15-2AB	11.5KGS
Three Gang	CZXS3-2/15-3ABJ	CZXS3-2/15-3AB	17KGS
Four Gang	CZXS3-2/15-4ABJ	CZXS3-2/15-4AB	22.5KGS
Five Gang	CZXS3-2/15-5ABJ	CZXS3-2/15-5AB	28KGS
Six Gang	CZXS3-2/15-6ABJ	CZXS3-2/15-6AB	33.5KGS
Seven Gang	CZXS3-2/15-7ABJ	CZXS3-2/15-7AB	39KGS
Eight Gang	CZXS3-2/15-8ABJ	CZXS3-2/15-8AB	44.5KGS

CZXS3-2/15-3AB Reefer Container Power Socket Box Photo

