

MARINE PRESSURE GAUGE

Capsule Pressure Gauge

Application: Used in Hydraulic and Pneumatic Systems, Compressors, Regulator and industry machine, and suitable for fluid medium or Gaseous which does not clog connection port or corrode Stainless steel. It can use...

- ISO9001 Supplier
- Class Certificate
- Export Supply

	<h3 style="margin: 0;">Key Highlights</h3> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #1a3d4d; color: white; padding: 5px;">Category</td> <td style="padding: 5px;">Marine Pressure Gauge</td> </tr> <tr> <td style="background-color: #1a3d4d; color: white; padding: 5px;">Standard</td> <td style="padding: 5px;">DIN</td> </tr> <tr> <td style="background-color: #1a3d4d; color: white; padding: 5px;">Material</td> <td style="padding: 5px;">Used in Hydraulic and Pneumatic Systems, Compressors, Regulator and indu...</td> </tr> <tr> <td style="background-color: #1a3d4d; color: white; padding: 5px;">Weight / Size</td> <td style="padding: 5px;">Diameter About 60mm Range of measurement All specifications Size of cont...</td> </tr> <tr> <td style="background-color: #1a3d4d; color: white; padding: 5px;">Certificate</td> <td style="padding: 5px;">ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS</td> </tr> </table> <p style="font-size: small; margin-top: 10px;">We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.</p>	Category	Marine Pressure Gauge	Standard	DIN	Material	Used in Hydraulic and Pneumatic Systems, Compressors, Regulator and indu...	Weight / Size	Diameter About 60mm Range of measurement All specifications Size of cont...	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Category	Marine Pressure Gauge										
Standard	DIN										
Material	Used in Hydraulic and Pneumatic Systems, Compressors, Regulator and indu...										
Weight / Size	Diameter About 60mm Range of measurement All specifications Size of cont...										
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS										

Technical Specifications			
Category	Marine Pressure Gauge	Model / SKU	Capsule-Pressure-Gauge
Standard	DIN	Material	Used in Hydraulic and Pneumatic Systems, Compressors, Regulator and industry machine, and suitable for fluid medium or Gaseous which does not clog connection port or corrode Stainless steel.
Weight / Size	Diameter About 60mm Range of measurement All specifications Size of contact M14*1.5 Installing form Axial direction Material Copper(Contact) ;	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China



CONTENTS

- Application:
- 65mm Ordinary Type Capsule Pressure Gauge Specification:
- YE-100 ZT Capsule Pressure Gauge Specification:
- 60mm Capsule Pressure Gauge Specification:
- 75mm Ordinary Type Capsule Pressure Gauge Specification:

Application:

Used in Hydraulic and Pneumatic Systems, Compressors, Regulator and industry machine, and suitable for fluid medium or Gaseous which does not clog connection port or corrode Stainless steel. It can used for severe service conditions where pulsation or vibration exist. Premium quality and long life.

60mm Capsule Pressure Gauge Specification:

Diameter	About 60mm
Range of measurement	All specifications
Size of contact	M14*1.5
Installing form	Axial direction
Material	Copper(Contact) ; Carbon steel(Shell)

65mm Ordinary Type Capsule Pressure Gauge Specification:

Outer diameter	65MM
Testing pressure range	-100Kpa~0 to 0~100Kpa
Accuracy	Level 1.5 ; Level 2.5
Sensitive element	chrome-plated carbon steel
Case material	steel
Operating environment	-25~55°C, relative humidity≤85%
Temperature effect	≤0.4%/10°C



75mm Ordinary Type Capsule Pressure Gauge Specification:

Outer diameter	75MM
Testing pressure range	-100Kpa~0 to 0~100Kpa
Accuracy	Level 1.5 ; Level 2.5
Sensitive element	copper (Cu)
Case material	chrome plated carbon steel
Operating environment	-25~55°C, relative humidity≤85%
Temperature effect	≤0.4%/10°C



YE-100 ZT Capsule Pressure Gauge Specification:

Outer diameter	65MM
Testing pressure range	-100Kpa~0 to 0~100Kpa
Accuracy	Level 1.5 ; Level 2.5



Sensitive element	316L
Case material	stainless steel 304
Operating environment	-25~55°C, relative humidity≤85%
Temperature effect	≤0.4%/10°C

