

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

## OTHER MARINE VALVES & ACCESSORIES

# Cast Steel Deck Level Valve

Deck Level Valve is called manual flat valve or deck surface valve, it is installed on the deck for draining the ballast water in the ballast bank or water on the deck. Technical Specification: ...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Other Marine Valves & Accessories
Material	Cast Steel
Weight / Size	Handwheel-Nodular Iron Main Size(mm):
Certificate	Mill Certificate

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


### Technical Specifications

Category	Other Marine Valves & Accessories	Model / SKU	Cast-Steel-Deck-Level-Valve
Material	Cast Steel	Weight / Size	Handwheel-Nodular Iron Main Size(mm):
Surface	Deck Level Valve is called manual flat valve or deck surface valve, it is installed on the deck for draining the ballast water in the ballast bank or water on the deck.	Certificate	Mill Certificate
Warranty	12 Months unless specified otherwise	Origin	China

#### CONTENTS

- China Cast Steel Deck Level Valve:
- Main Parts & Material:
- Technical Specification:
- Main Size(mm):

## China Cast Steel Deck Level Valve:



Deck Level Valve is called manual flat valve or deck surface valve, it is installed on the deck for draining the ballast water in the ballast bank or water on the deck.

### Technical Specification:

Working Temperature: 0~60°C

Working Medium: Sea water

Working Pressure: 0.4Mpa~1.0Mpa

Connection Type: Welded on the deck

### Main Parts & Material:

1. Bedplate--Carbon Steel Q235A
2. Sealing ring--NBR
3. Body-Cast Steel
4. Sealing ring-Fluorine Rubber
5. Valve Disc-Stainless Steel
6. Valve Rod-Stainless Steel
7. Handwheel-Nodular Iron

### Main Size(mm):

DN	D0	Dw	D1	D2	D3	S	H
100	250	114	245	300	180	14	260
150	285	168	280	320	250	22	330

20 0	32 5	21 9	32 0	40 0	28 0	2 4	480	<p>The technical drawing shows a cross-section of a cast steel deck level valve. The valve is mounted on a deck with a thickness of 30 units. The valve body is labeled with parts 1 through 7. Dimensions include: D3 (width of the top handle), DN (nominal diameter of the valve), Dw (width of the valve body), D1 (inner diameter of the valve), D0 (outer diameter of the valve), and D2 (total width of the valve assembly). A height dimension H is also shown. A small square symbol with the letter 'S' is located near the top handle.</p>
---------	---------	---------	---------	---------	---------	--------	-----	---