

SHACKLE

D2 Type GB559 Ship Shackle

D2 Type GB559 Ship Shackle Specification

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Shackle
Standard	GB
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Shackle	Model / SKU	D2-Type-GB559-Ship-Shackle
Standard	GB	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

D2 Type GB559 Ship Shackle Specification




表 4 mm

许用负荷 kN (tf)	B		H		d ₁		d ₂	d	D	R	C		重量 kg~
	公称 尺寸	允许 偏差	公称 尺寸	允许 偏差	公称 尺寸	允许 偏差					D1, D3, D4型	D2型	
3.92 (0.40)	13	+0.65	33.0	-1.7	9		M8	8	8	8		1.4	0.041
4.90 (0.50)	14	+0.7	36.0	+1.8	10		M10	9	20	9	1	1.5	0.062
6.27 (0.64)	16	+0.8	41.0	+2.1	12		M12	10	24	10		1.8	0.102
7.84 (0.80)	18	+0.9	46.5	+2.3	14	+1.0 +0.5	M14	12	28	12		2.1	0.132
9.80 (1.00)	20	+1.0	51.5	+2.6	15			13	30	13	1.5	2.3	0.188
12.25 (1.25)	22	+1.1	57.5	+3.0	17		M16	15	34	15		2.6	0.258
15.68 (1.60)	25	+1.2	64.5	+3.2	19		M18	17	38	17	2.0	2.9	0.359
19.60 (2.00)	28	+1.4	72.5	+3.6	21		M20	19	42	19		3.2	0.515
24.50 (2.50)	31	+1.5	81.0	+4.0	24		M22	21	48	21		3.6	0.655
31.36 (3.20)	35	+1.8	91.5	+4.6	27		M24	24	54	24	2.0	4.1	0.950
39.20 (4.00)	40	+2.0	102.0	+5.1	30	+1.5 +0.5	M27	26	60	26		4.5	1.340
49.00 (5.00)	44	+2.2	113.5	+5.7	33		M30	29	66	29		5.0	1.870
61.74 (6.30)	50	+2.5	127.5	+6.1	37		M36	33	74	33		5.6	2.650
78.40 (8.00)	56	+2.8	144.0	+7.2	42		M40	37	84	37	2.5	6.3	3.790
98.00 (10.00)	63	+3.2	161.5	+8.1	47		M45	41	94	41		7.1	5.270
122.50 (12.50)	70	+3.5	180.5	+9.0	53		M52	46	106	46		8.0	7.490
156.80 (16.00)	79	+4.0	201.0	+10.2	60		M56	52	120	52		9.0	10.850
196.00 (20.00)	89	+4.5	226.5	+11.1	67		M64	59	134	59	3.0	10.1	15.650
245.00 (25.00)	99	+5.0	253.5	+12.8	75		M72	65	150	65		11.3	21.830
313.60 (32.00)	112	+5.6	289.0	+14.5	81	+2.0 +0.5	M80	74	168	74		12.6	25.710
392.00 (40.00)	125	+6.0	322.0	+16.1	94		M90	83	188	83		14.1	32.620
490.00 (50.00)	140	+7.0	361.0	+18.1	108		M105	92	212	92	4.0	15.9	45.110
617.40 (63.00)	157	+8.0	405.5	+20.3	119		M115	104	238	104		17.9	86.270
784.00 (80.00)	177	+9.0	457.0	+22.9	131		M130	117	268	117	5.0	20.1	123.000