

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

INDUSTRIAL CHAINS

DIN763 Long Link Chain

We are an experienced factory to supply chains of Beautiful Shape, Strong Welding as follows: G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of c...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Industrial Chains
Standard	DIN
Material	carbon steel, Q235, Q195 or as per your requirement.
Weight / Size	We can manufacture according to your detail requestments, when you order...
Certificate	mill certificate

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Industrial Chains	Model / SKU	DIN763-Long-Link-Chain
Standard	DIN	Material	carbon steel, Q235,Q195 or as per your requirement.
Weight / Size	<p>We can manufacture according to your detail requestments, when you order our products please give us your detail requestments</p> <p>DIN763 link chain Size Inside length Outside width Working load Test load Breaking load Weight per M MM ±MM MM ±MM MM ±MM KG N N KG 2 0.5 22 1 8 0.4 25 800 1250 0.06 3 24 1.1 10 0.5 40 800 2000 0.1 3 26 1.2 12 0.6 55 1050 3200 0.15 4 32 1.5 16 0.8 100 2000 6000 0.27 5 35 1.8 20 1 160 3150 10000 0.43 6 42 2 24 1.2 224 4500 14000 0.63 7 49 2.5 28 1.4 300 6000 18000 0.86 8 52 2.5 32 1.6 400 8000 25000 1.1 9 59 3 36 1.8 530 10500 32000 1.41 10 1 65 3.2 40 2 630 12500 40000 1.75 11 72 3.4 44 2 790 15800 47500 2.11 12 78 3.6 48 2.3 940 18800 56500 2.55 13 82 4 52 2.5 1000 21200 63000 2.95 16 100 5 64 3.2 1600 33000 100000 4.45 18 113 5.2 70 3.2 2120 42300 127000 5.65 19 119 5.6 72 3.4 2370 47300 142000 6.25 20 120 6 75 3.8 2500 50000 160000 7 22 127 6 82 4 3170 63300 190000 8.55 25 140 6.6 88 4.2 4090 81700 245000 10.9 28 152 7 96 4.7 6000 120000 300000 13.9 32 171 7.8 108 5.2 8000 160000 400000 18.2</p> <p>Supply scope:</p>	Surface	galvanized
Certificate	mill certificate	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ China DIN763 Long Link Chain:	■ Product description:
	■ Our advantages:	■ Working procedures for steel link chains:
	■ Supply scope:	



China DIN763 Long Link Chain:



We are an experienced factory to supply chains of Beautiful Shape, Strong Welding as follows: G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, **USA standard chain**, DIN series of chains, Australian standard chain and Norwegian standard chain. We also can make the nonstandard or special tensile chain according to clients' requirements, high quality and reasonable price.

Product description:

1. material: carbon steel, Q235, Q195 or as per your requirement.
2. Surface treatment: Electrical galvanized, Hot dipped galvanized, Self-color, polished, Black-painted and other .
3. Application: Chains for lifting, hoist parts
4. Packaging choice:
 - a. gunny bag, b. Iron drum, c. plastic drum, d. wooden box e. plastic wheels f. others as required

Our advantages:

1. About welding quality:

Welding part is smooth, firm, beautiful by advanced technical machine
2. About galvanized quality: Our electric galvanized chains with thick zinc coating,


Galvanized processing time: 40 minutes, galvanized can guarantee 6 months not be rusty
3. We have strict quality control system in the whole process of producing chains
4. We can supply free samples to all customers

Working procedures for steel link chains:

1. Receive the purchase order
2. Product requirement
3. Buy raw material
4. Inspect raw material
5. Store raw material
6. Wire rod drawing
7. Bending
8. Welding
9. Check surface
10. Sampling and breaking test
11. Calibration
12. Proof load test
13. Zinc plated or HDG
14. Sampling and breaking test
15. Cutting
16. Final inspection
17. Packing
18. After-sale service

Small quantity and trial order can be accepted./Sample order accepted.

We have confidence about the quality of the product.



We can manufacture according to your detail requestments, when you order our products please give us your detail requestments

DIN763 link chain									
Size		Inside length		Outside width		Working load	Test load	Breaking load	Weight per M
MM	±MM	MM	±MM	MM	±MM	KG	N	N	KG
2	0.5	22	1	8	0.4	25	800	1250	0.06
3		24	1.1	10	0.5	40	800	2000	0.1
3		26	1.2	12	0.6	55	1050	3200	0.15
4		32	1.5	16	0.8	100	2000	6000	0.27
5		35	1.8	20	1	160	3150	10000	0.43
6		42	2	24	1.2	224	4500	14000	0.63
7		49	2.5	28	1.4	300	6000	18000	0.86
8		52	2.5	32	1.6	400	8000	25000	1.1
9		59	3	36	1.8	530	10500	32000	1.41
10	1	65	3.2	40	2	630	12500	40000	1.75
11		72	3.4	44	2	790	15800	47500	2.11
12		78	3.6	48	2.3	940	18800	56500	2.55
13		82	4	52	2.5	1000	21200	63000	2.95
16		100	5	64	3.2	1600	33000	100000	4.45
18		113	5.2	70	3.2	2120	42300	127000	5.65
19		119	5.6	72	3.4	2370	47300	142000	6.25
20		120	6	75	3.8	2500	50000	160000	7
22		127	6	82	4	3170	63300	190000	8.55
25		140	6.6	88	4.2	4090	81700	245000	10.9
28		152	7	96	4.7	6000	120000	300000	13.9
32		171	7.8	108	5.2	8000	160000	400000	18.2

Supply scope:

1. Ordinary mild steel link chain (Also known as English standard link chain)

Short link chain

Medium link chain

Long link chain

Ordinary decoration chain.

2. American standard link chain ASTM1980



Proof coil chain (G30),High test chain (G43),Transport chain (G70)

3.American standard link chain NACM1990

Proof coil chain (G30),High test chain (G43),Transport chain (G70)

4.American standard link chain NACM1996/2003

Proof coil chain (G30),High test chain (G43),Transport chain (G70)

5.German standard link chain

DIN5685Ashort link chain

DIN5685Clong link chain/DIN763 link chain

DIN764 link chain

DIN766 link chain)

6. Australian standard chains

Short link chain,Medium link chain,Long link chain,Grade 70 chain,Grade L chain

7.Norwegian standard link chain

8.Korean standard link chain

9.pets chain