INDUSTRIAL CHAINS

DIN764 Medium Link Chain

ISO9001 Supplier

Class Certificate

Export Supply

We are an experienced factory tosupply chains of Beautiful Shape, Strong Welding as follows:G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of ch...



Key Highlights

Category	Industrial Chains
Standard	DIN
Material	carbon steel, Q235,Q195 or as per your requirement.
Weight / Size	We can manufacture according to your detail requestments, when you order...
Certificate	mill certificate

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Industrial Chains	**Model / SKU**	DIN764-Medium-Link-Chain
Standard	DIN	**Material**	carbon steel, Q235,Q195 or as per your requirement.
Weight / Size	We can manufacture according to your detail requestments, when you order our products please give us your detail requestments DIN764 medium link chain Size Inside length Inside width Outside width Length per 11 links Weight per 100M Breaking load Test load MM +MM MM +MM MM MM MM +MM KG KN KG 4 0.20 16 0.30 5 14 176 1.60 31.3 7 400 0.20 0.90 5 0.20 18 0.40 7 18.2 198 1.80 51.4 11.8 680 0.20 1.00 6 0.20 21 0.50 8 21.5 231 2.00 74.0 16.5 850 0.20 1.10 8 0.20 28 0.50 11 29 308 2.20 131.5 32 1680 0.30 1.20 10 0.30 35 0.60 14 36 385 2.70 200 50 2630 0.30 1.50 12 0.30 42 0.60 16 41 462 3.20 298 70 3680 0.30 1.80 13 0.40 45 0.70 18 47 495 3.50 350 80 4200 0.40 2.00 14 0.45 49 0.75 20 48 539 3.80 406 92 4830 0.45 2.00 16 0.50 56 0.90 22 58 616 4.30 520 125 6700 0.50 2.50 18 0.80 63 1.00 24 65 693 4.70 650 160 8400 0.50 2.80 20 1.00 70 1.10 27 72 770 5.40 820 200 10000 0.6 3.2 23 1.2 80 1.3 31 83 880 6.2 1100 250 13000 0.7 3.5 26 1.3 91 1.5 35 94 1001 7 1400 320 16000 0.8 4 28 1.4 98 1.6 36 101 1078 7.5 1650 360 18000 0.9 4.3 30 1.5 105 1.7 39 108 1156 7.8 1900 415 20750 0.9 4.6 33 1.7 115 1.9 43 119 1265 8.5 2250 500 25000 1 4.9 Supply scope:	**Surface**	galvanized
Certificate	mill certificate	**Warranty**	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China DIN764 Medium Link Chain:
- Our advantages:
- Supply scope:
- Product description:
- Working procedures for steel link chains:

China DIN764 Medium Link Chain:



We are an experienced factory tosupply chains of Beautiful Shape, Strong Welding as follows:G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of chains, Australian standard chain and Norwegian standard chain. We also can make the nonstandard or special tensile chain according to clients' requirements, high quality and reasonable price.

Product description:

1.material:carbon steel, Q235,Q195 or as per your requirement.

2.Surface treatment: Electrical galvanized, Hot dipped galvanized,Self-color, polished, Black-painted and other .

3. Application: Chains for lifting, hoist parts

4. Packaging choice:

a.gunny bag, b.Iron drum,c.plastic drum,d.wooden box e.plastic wheels f.others as required

Our advantages:

1.About welding quality:

Welding part is smooth, firm, beautiful by advanced technical machine

2.About galvanized quality: Our electric galvanized chains with thick zinc coating,

Galvanized processing time: 40 minutes,galvanized can guarantee 6 months not be rusty

3. We have strict quality control system in the whole process of producing chains

4. We can supply free samples to all customers

Working procedures for steel link chains:

1.Receive the purchase order 2. Product requirement 3.Buy raw material 4. Inspect raw material 5. Store raw material 6. Wire rod drawing 7. Bending 8.Welding 9.Check surface 10. Sampling and breaking test 11.Calibration 12. Proof load test 13. Zinc plated or HDG 14. Sampling and breaking test 15. Cutting 16. Final inspection 17. Packing 18. After-

sale service

Small quantity and trial order can be accepted./Sample order accepted.

We have confidence about the quality of the product.

We can manufacture according to your detail requestments, when you order our products please give us your detail requestments

DIN764 medium link chain										
Size		Inside length		Inside width	Outside width	Length per 11 links		Weight per 100M	Breaking load	Test load
MM	+MM	MM	+MM	MM	MM	MM	+MM	KG	KN	KG
4	0.20	16	0.30 0.20	5	14	176	1.60 0.90	31.3	7	400
5	0.20	18	0.40 0.20	7	18.2	198	1.80 1.00	51.4	11.8	680
6	0.20	21	0.50 0.20	8	21.5	231	2.00 1.10	74.0	16.5	850
8	0.20	28	0.50 0.30	11	29	308	2.20 1.20	131.5	32	1680
10	0.30	35	0.60 0.30	14	36	385	2.70 1.50	200	50	2630
12	0.30	42	0.60 0.30	16	41	462	3.20 1.80	298	70	3680
13	0.40	45	0.70 0.40	18	47	495	3.50 2.00	350	80	4200
14	0.45	49	0.75 0.45	20	48	539	3.80 2.00	406	92	4830
16	0.50	56	0.90 0.50	22	58	616	4.30 2.50	520	125	6700
18	0.80	63	1.00 0.50	24	65	693	4.70 2.80	650	160	8400
20	1.00	70	1.10 0.6	27	72	770	5.40 3.2	820	200	10000
23	1.2	80	1.3 0.7	31	83	880	6.2 3.5	1100	250	13000

26	1.3	91	1.5	35	94	1001	7	1400	320	16000
			0.8				4			
28	1.4	98	1.6	36	101	1078	7.5	1650	360	18000
			0.9				4.3			
30	1.5	105	1.7	39	108	1156	7.8	1900	415	20750
			0.9				4.6			
33	1.7	115	1.9	43	119	1265	8.5	2250	500	25000
			1				4.9			

Supply scope:

1.Ordinary mild steel link chain (Also known as English standard link chain)

Short link chain

Medium link chain

Long link chain

Ordinary decoration chain.

2.American standard link chain ASTM1980

Proof coil chain (G30),High test chain (G43),Transport chain (G70)

3.American standard link chain NACM1990

Proof coil chain (G30),High test chain (G43),Transport chain (G70)

4.American standard link chain NACM1996/2003

Proof coil chain (G30),High test chain (G43),Transport chain (G70)

5.German standard link chain

DIN5685Ashort link chain

DIN5685Clong link chain/DIN763 link chain

DIN764 link chain

DIN766 link chain)

6. Australian standard chains

Short link chain,Medium link chain,Long link chain,Grade 70 chain,Grade L chain

7.Norwegian standard link chain

8.Korean standard link chain

9.pets chain