

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

INCANDESCENT LIGHT


DS7-2M-1 Work light

Code Type Power Voltage Lamp holder Material ...

ISO9001 Supplier


Class Certificate


Export Supply

	Key Highlights	
	Category	Incandescent Light
	Standard	EN
	Material	Code Type Power Voltage Lamp holder Material Colour Protection class Wei...
	Weight / Size	Code Type Power Voltage Lamp holder Material Colour Protection class Wei...
	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<p>We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.</p>		

Technical Specifications			
Category	Incandescent Light	Model / SKU	DS7-2M-1-Work-light
Standard	EN	Material	Code Type Power Voltage Lamp holder Material Colour Protection class Weight 792053 DS7-1M 15W 24V FE12,FE14 Synthetic resin Transparent red, green,yellow,blue IP56 1.1kg 792053 FB15 792057 DS7-2M 60W 220V FE26 1.2kg 792058 FB22 792055 DS7-2M-A 60W 220V FE26 Aluminium 2.0kg 792060 DS7-3M 100W 220V FE26 Synthetic resin 2.5kg 792059 792082 DS7-4M 200W 220V FE26 3.0kg 792066 W 60W 220V FE26 Transparent 2.7kg
Weight / Size	Code Type Power Voltage Lamp holder Material Colour Protection class Weight 792053 DS7-1M 15W 24V FE12,FE14 Synthetic resin Transparent red, green,yellow,blue IP56 1.1kg 792053 FB15 792057 DS7-2M 60W 220V FE26 1.2kg 792058 FB22 792055 DS7-2M-A 60W 220V FE26 Aluminium 2.0kg 792060 DS7-3M 100W 220V FE26 Synthetic resin 2.5kg 792059 792082 DS7-4M 200W 220V FE26 3.0kg 792066 W 60W 220V FE26 Transparent 2.7kg	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China DS7-2M-1 Work light:





Code	Type	Power	Voltage	Lamp holder	Material	Colour	Protection class	Weight
792053	DS7-1M	15W	24V	FE12,FE14	Synthetic resin	Transparent red, green,yellow,blue	IP56	1.1kg
792053				FB15				
792057	DS7-2M	60W	220V	FE26	Aluminium	Transparent	IP56	1.2kg
792058				FB22				
792055	DS7-2M-A	60W	220V	FE26	Aluminium	Transparent	IP56	2.0kg
792060	DS7-3M	100W	220V	FE26	Synthetic resin	Transparent	IP56	2.5kg
792059								
792082	DS7-4M	200W	220V	FE26	Synthetic resin	Transparent	IP56	3.0kg
792066	W	60W	220V	FE26	Synthetic resin	Transparent	IP56	2.7kg