

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

HOSE CRIMPING MACHINE

DX68 Hydraulic High Pressure Hose Crimping Machine

ISO9001 Supplier

Class Certificate

Export Supply

DX68 Hydraulic high pressure hose crimping machine is mainly used for buckling processing for high pressure rubber pipe assembly in the mechanical engineering. It can also be used for buckling the two-way bends, especial...



Key Highlights

Category	Hose Crimping Machine
Standard	DIN
Weight / Size	5ml/rad (380V), 2.5ml/rad(220V) 6.Overall dimensions:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Hose Crimping Machine	Model / SKU	DX68-Hydraulic-High-Pressure-Hose-Crimping-Machine
Standard	DIN	Weight / Size	5ml/rad (380V), 2.5ml/rad(220V) 6.Overall dimensions:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- China DX68 Hydraulic High Pressure Hose Crimping Machine:
- Structure:
- Main Technical Feature:

China DX68 Hydraulic High Pressure Hose Crimping Machine:


DX68 Hydraulic high pressure **hose crimping machine** is mainly used for buckling processing for high pressure rubber pipe assembly in the mechanical engineering. It can also be used for buckling the two-way bends, especially large bends and irregular shape bends.

This machine features small and portable appearance, big force, low noise and easy to operate. The buckling amount can be precise adjusted through a scale. It makes the mould base division to be more even through the double inclined plane eight-flap mould seat equipped with a high accuracy guiding device.

Main Technical Feature:

1. Buckling range: $\Phi 6$ — $\Phi 51$ mm
2. Max. buckling force: 400T
3. Scale accuracy: 0.02mm
4. Rated pressure: 31.5 MPa
5. Oil pump displacement: 5ml/rad (380V), 2.5ml/rad(220V)
6. Overall dimensions: 670(L) \times 490(W) \times 780(H)mm
7. Including 10 die sets, the length of die set: 80 mm

Structure:



Name:	Hose crimping machine, hose crimper, Pipe locking machine, Locking pipe machine, tube locking machine, tube crimping machine, tube crimper, pipe crimping machine, pipe crimper.
Usage	Crimping hose

Popular type:	DX68 Hydraulic high pressure hose crimping machine 6-51mm
	DSG51A Multi-function pipe crimping machine 6-51mm
	DSG51B Multi-function pipe crimper 6-51mm
	DSG75 High pressure hose crimper6-75mm
	DSG150 High pressure hose crimping machine 6-150mm
	DSG102S hose crimping machine 6-102mm
	DSG250A Locking Pipe Machine 6-51mm
	DSG250B tube crimping Machine 6-51mm
	DSG250C Pipe Locking Machine 6-51mm
	JK400 tube crimper 6-64mm
	JKS200 Manual type hose crimping machine 6-32mm
	SK100 Numeric control locking pipe machine 4-89mm