

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## RECIPROCATING PUMP

# DZ Series Marine Electric Piston Pump

DZ series Marine Electric piston Pump General description DZ series marine electric piston pump without the transmission medium can be hard particles or fibers; the temperature is not higher than 85c water,...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Reciprocating Pump
Standard	EN
Material	cast iron
Weight / Size	Suc Dia Power Speed Weight Mpa m m <sup>3</sup> /h 1/min mm mm mm kw rpm kg DZ-100 0....
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Reciprocating Pump	Model / SKU	DZ-Series-Marine-Electic-Piston-Pump
Standard	EN	Material	cast iron
Weight / Size	Suc Dia Power Speed Weight Mpa m m3/h 1/min mm mm mm kw rpm kg DZ-100 0.19 4 0.1 66 28 38 15 0.18 1400 15 DZ-250 0.29 5 0.25 56 42 50 23 0.25 1400 27 DZ-500 0.29 5 0.5 50 64 60 23 0.37 1400 27 DZ-1000 0.29 5 1 50 64 85 50 0.55 1400 37 DZ-2000 0.29 6 2 68 80 90 50 0.75 1400 47 DZ-3000 0.29 6 3 70 90 105 50 1.1 1400 120 DZ-4000 0.29 6 4 68 120 115 60 1.5 1400 140 DZ-5000 0.29 6 5 68 120 115 60 2.2 1420 140 DZ- 104 0.29 6 10 68 120 118 80 3 1420 230	Certificate	CCS
Warranty	12 Months unless specified otherwise	Origin	China

**CONTENTS**


- DZ series Marine Electric piston Pump
- Structural Specifications
- General description
- Performance Parameter

## DZ series Marine Electric piston Pump

### General description


DZ series marine electric piston pump without the transmission medium can be hard particles or fibers; the temperature is not higher than 85c water,fresh water,oil,drainage.

## Structural Specifications



## Performance Parameter

Type	Discharge pressure	Suction head	Capacity	Re c i p r o c a t i n g n u m b e r	Travel	Jar Dia.	Suc Dia	Power	Speed	Weight
Mpa	m	m3/h	l/min	m m	mm	mm	kw	rpm	kg	
DZ-100	0.19	4	0.1	6 6	28	38	15	0.18	1400	15
DZ-250	0.29	5	0.25	5 6	42	50	23	0.25	1400	27
DZ-500	0.29	5	0.5	5 0	64	60	23	0.37	1400	27
DZ-1000	0.29	5	1	5 0	64	85	50	0.55	1400	37
DZ-2000	0.29	6	2	6 8	80	90	50	0.75	1400	47
DZ-3000	0.29	6	3	7 0	90	105	50	1.1	1400	120
DZ-4000	0.29	6	4	6 8	120	115	60	1.5	1400	140



DZ-5000	0.29	6	5	68	120	115	60	2.2	1420	140
DZ-10 <sup>4</sup>	0.29	6	10	68	120	118	80	3	1420	230