

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE KITCHEN GALLEY

DZS4 Square Hot Plate Marine Cooking Range W/Oven

ISO9001 Supplier

Class Certificate

Export Supply

DZS4 Square Hot Plate Marine Cooking Range W/Oven 1.Complete stainless steel execution. 2.7-stop thermal control knob. 3.With handrail and storm racks. 4.The hot plates can stand abrasion,corrosion and high temp...



Key Highlights

Category	Marine Kitchen Galley
Standard	EN
Material	SS
Weight / Size	DZS4 Square Hot Plate Marine Cooking Range W/Oven Specification Model Vo...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Marine Kitchen Galley	Model / SKU	DZS4-Square-Hot-Plate-Marine-Cooking-Range-W-Oven
Standard	EN	Material	SS
Weight / Size	DZS4 Square Hot Plate Marine Cooking Range W/Oven Specification Model Voltage Rating Size(WxDxH)mm Weight DZS4 380-415V/3P/50Hz 440- 480V/3P/60Hz 16Kw 800x900x850 100kg DZS4/R 380- 415V/3P/50Hz 440-480V/3P/60Hz 29.8Kw 800x900x850 150kg DZS6 380-415V/3P/50Hz 440- 480V/3P/60Hz 24Kw 1200x900x850 140kg DZS6/R 380-415V/3P/50Hz 440- 480V/3P/60Hz 28.8Kw 1200x900x850 180kg	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China


CONTENTS

- DZS4 Square Hot Plate Marine Cooking Range W/Oven
- DZS4 Square Hot Plate Marine Cooking Range W/Oven Specification

DZS4 Square Hot Plate Marine Cooking Range W/Oven

1. Complete stainless steel execution.
2. 7-stop thermal control knob.
3. With handrail and storm racks.
4. The hot plates can stand abrasion, corrosion and high temperature.
5. Hot plates and control elements are imported from Germany.
6. Oven or locker can be set up under the range.

DZS4 Square Hot Plate Marine Cooking Range W/Oven Specification



Model	Voltage	Rating	Size(WxDxH)mm	Weight
DZS4	380-415V/3P/50Hz 440-480V/3P/60Hz	16Kw	800x900x850	100kg
DZS4/R	380-415V/3P/50Hz 440-480V/3P/60Hz	29.8Kw	800x900x850	150kg
DZS6	380-415V/3P/50Hz 440-480V/3P/60Hz	24Kw	1200x900x850	140kg
DZS6/R	380-415V/3P/50Hz 440-480V/3P/60Hz	28.8Kw	1200x900x850	180kg