

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

DIESEL ENGINE DRIVEN WATER PUMP

Diesel high pressure pump

Diesel high pressure pump Parameter Diesel high pressure pump Set Model 40HB-1.5D
50HB-2D ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Diesel engine driven water pump
Standard	EN
Weight / Size	Head lift(m) 55 65 Max.Suction head(m) 8 8 Engine Engine model 178F 186F...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Diesel engine driven water pump	Model / SKU	Diesel-high-pressure-pump
Standard	EN	Weight / Size	Head lift(m) 55 65 Max.Suction head(m) 8 8 Engine Engine model 178F 186F Engine type Single cylinder,4-stroke,air cooled diesel engine Displacement(CC) 296 418 Max.output power(HP) 7 10 Rated speed(RPM) 3600 3600 Fuel consumption ratio(g/kw.h) <283 <280 starting method Recoil start Fuel tank capacity(L) 3.3 5.5 Options Electric starter Available Available Oil annunciator Available Available Pack Packing size(mm) 575x460x575 575x460x575 Net weight(Kgs) 46 62 Gross weight(Kgs) 48 64 20FT Qty 192 192
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- Diesel high pressure pump

- Parameter

Diesel high pressure pump

Parameter

Diesel high pressure pump			
Set	Model	40HB-1.5D	50HB-2D
	Name	High pressure pump	
	Inlet/Outlet diameter	40mm(1.5")	50mm(2")
	Cont. Capacity(m ³ /h)	20	30
	Cont. Head lift(m)	55	65
	Max.Suction head(m)	8	8

Engine	Engine model	178F	186F
	Engine type	Single cylinder,4-stroke,air cooled diesel engine	
	Displacement(CC)	296	418
	Max.output power(HP)	7	10
	Rated spee(RPM)	3600	3600
	Fuel consumption ratio(g/kw.h)	<283	<280
	starting method	Recoil start	
	Fuel tank capacity(L)	3.3	5.5
Options	Electric starter	Available	Available
	Oil annunciator	Available	Available
Pack	Packing size(mm)	575x460x575	575x460x575
	Net weight(Kgs)	46	62
	Gross weight(Kgs)	48	64
	20FT Qty	192	192