



Technical Specifications			
<b>Category</b>	Marine Explosion-proof Lights Series	<b>Model / SKU</b>	Explosion-proof-Flood-Light-CFT3
<b>Material</b>	Aluminum	<b>Weight / Size</b>	Model CFT3 EXB1 Voltage 220V/50Hz,220V/60Hz 110V/220V Power 400W 400W 1000W 1000W Max.1000W Illuminant High-pressure Sodium Light Metal Halide Lamp High-pressure Sodium Light Metal Halide Lamp Explosion-proof Mark Exd II B T4 Exd II B T4 Exd II B T3 Exd II B T3 Exd II B T5 Luminous Flux(lm) 47000 36000 12000 12000 Lamp Holder E40 Production Class IP56 Cable Diameter Dia11-13mm Weight 49.5kgs(CFT3), 22kgs(EXB1)
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		



**Main Specification:**

Model	CFT3				EXB1
Voltage	220V/50Hz,220V/60Hz				110V/220V
Power	400W	400W	1000W	1000W	Max.1000 W
Illuminant	High-pressure Sodium Light	Metal Halide Lamp	High-pressure Sodium Light	Metal Halide Lamp	
Explosion-proof Mark	Exd II B T4	Exd II B T4	Exd II B T3	Exd II B T3	Exd II B T5
Luminous Flux(lm)	47000	36000	12000	12000	



Lamp Holder	E40
Production Class	IP56
Cable Diameter	Dia11-13mm
Weight	49.5kgs(CFT3), 22kgs(EXB1)