ELECTRICAL CONNECTORS

FHH202 Explosion Proof Switch

ISO9001 Supplier

Class Certificate

Export Supply

The scope of application Mainly used for electric connection, circuit connected with the breaker for all kinds of ships, offshore oil, chemical industry and other places which may accumulate inflammable and explosi...



Key Highlights

Category	Electrical Connectors
Standard	EN
Weight / Size	Code Weight(kg) FHH202-1 2 FHH202-2 2 FHH202-3 2.1 FHH202-4 2.2 FHH202-3...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Electrical Connectors	**Model / SKU**	FHH202-Explosion-Proof-Switch
Standard	EN	**Weight / Size**	Code Weight(kg) FHH202-1 2 FHH202-2 2 FHH202-3 2.1 FHH202-4 2.2 FHH202-3 Switch Photo
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

CONTENTS

- The scope of application
- FHH202-3 Switch Photo
- Products feature and products certification


The scope of application

Mainly used for electric connection, circuit connected with the breaker for all kinds of ships, offshore oil, chemical industry and other places which may accumulate inflammable and explosive gas.

Products feature and products certification

Flame proof and increased safety type of explosion-proof switch, Explosion proof marked IICT6, it can work normally under the temperature -20 "C ~ +50 "C. The shell is made of high strength high quality brass precision manufacturing forming. With good electrical properties and good waterproof performance. Protection class: P56.Voltage:380v Current:16A. Cable outside diameter is diameter 13mm.

This lamp has been inspected and certified by China National Lighting Fitting Quality Supervision Testing center and National Supervision and Examination Center for Explosion protected and Safety of Luminaire (NECESL).



Code	Weight(kg)
FHH202-1	2
FHH202-2	2
FHH202-3	2.1
FHH202-4	2.2

FHH202-3 Switch Photo




jinbomarine.com
JINBO MARINE


Ex 防爆开关
Ex d IIC T6 Gb IP66
NLE14.0634
Model: FHH202-
440V 16A NO.
jinbomarine.com
JINBO MARINE


jinbomarine.com
JINBO MARINE