

HIGH PRESSURE PUMP

FYB-225 with 4 Outlets Air Driven High Pressure Hydraulic Pump

ISO9001 Supplier

Class Certificate

Export Supply

FYB-225 Air Driven High Pressure Hydraulic Pump With four ways outlets: FYB-225 Air Driven High Pressure Hydraulic Pump is a new type of hydraulic stretching and pressing equipment. It transforms the lower air...



Key Highlights

| | |
|----------------------|---|
| Category | High Pressure Pump |
| Standard | DIN |
| Weight / Size | It can be widely used in large and medium-sized mechanical screw fasteni... |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

| | | | |
|--------------------|--|----------------------|--|
| Category | High Pressure Pump | Model / SKU | FYB-225-with-4-Outlets-Air-Driven-High-Pressure-Hydraulic-Pump |
| Standard | DIN | Weight / Size | It can be widely used in large and medium-sized mechanical screw fastening, large transmission parts and keyless matching of structural parts in metallurgical mining, petrochemical industry, shipbuilding industry, locomotive and vehicle manufacturing industry. |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS | Warranty | 12 Months unless specified otherwise |
| Origin | China | | |



CONTENTS

- China FYB-225 with 4 Outlets Air Driven High Pressure Hydraulic Pump:
- FYB-225 Air Driven High Pressure Hydraulic Pump With four ways outlets:
- Spar parts kit:

China FYB-225 with 4 Outlets Air Driven High Pressure Hydraulic Pump:

FYB-225 Air Driven High Pressure Hydraulic Pump With four ways outlets:

FYB-225 Air Driven High Pressure Hydraulic Pump is a new type of hydraulic stretching and pressing equipment. It transforms the lower air pressure into pressure oil and becomes an ideal power source.

FYB series hydraulic booster pump has the advantages of high output pressure, simple operation, safe and reliable, easy to carry and so on. It can be widely used in large and medium-sized mechanical screw fastening, large transmission parts and keyless matching of structural parts in metallurgical mining, petrochemical industry, shipbuilding industry, locomotive and vehicle manufacturing industry. It is an ideal tool for assembling and matching various large and medium-sized machines.

| | |
|----------------------------|--|
| Model | FYB-225 |
| Weight | 28KG(net weight) |
| Size | 430*370*415 mm |
| Output pressure | Maximum 225MPa (input air pressure 9bar) |
| Output port | 4PCS |
| Pump working speed | About. 450 cycles per minute, input pressure 8bar |
| Tank capacity | 4.5L |
| Air consumption | 1.05 liters 1 minutes,input pressure 8bar |
| Maxi flow (At no pressure) | About 0.35 liters I mins, input pressure 8bar |
| Oil supply per circle | 0.8 mliliter (0.049 cubic inches) |

Spar parts kit:



2 meters High pressure pipe 4PCS

