

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

AIR AND GENERAL PURPOSE HOSE

## Food Grade Rubber Hose

Main Specification ID OD WP BP Bending Radius Plies Weight Length ...

- ISO9001 Supplier
- Class Certificate
- Export Supply



### Key Highlights

<b>Category</b>	Air and General Purpose Hose
<b>Standard</b>	DIN
<b>Weight / Size</b>	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inc...
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications											
<b>Category</b>	Air and General Purpose Hose					<b>Model / SKU</b>	Food-Grade-Rubber-Hose				
<b>Standard</b>	DIN					<b>Weight / Size</b>	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inch mm inch Mpa bar Mpa bar mm B kg/m m 13 1/2" 24 7/8" 1.6 16 4.8 48 180 1 0.5 20-50 16 5/8" 28 1-1/4" 1.6 16 4.8 48 210 1 0.55 20-50 19 3/4" 30 1-1/4" 1.6 16 4.8 48 240 1 0.7 20-50 22 7/8" 33 1-1/4" 1.5 15 4.5 45 280 2 0.9 20-50 25 1" 38 1-1/2" 1.5 15 4.5 45 375 2 1 20-50 32 1-1/4" 44 1-3/4" 1.5 15 4.5 45 420 2 1.3 20-50 38 1-1/2" 50 2" 1.2 12 3.6 36 500 2 1.5 20-50 50 2" 63 2-1/2" 1.2 12 3.6 36 630 2 1.95 20-50 57 2-1/4" 71 2-4/5" 1 10 3 30 860 3 2.2 20- 50 64 2-1/2" 80 3-1/5" 1 10 3 30 960 3 2.6 20-50 76 3" 90 3-3/5" 1 10 3 20 1140 3 3 20-50				
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS					<b>Warranty</b>	12 Months unless specified otherwise				
<b>Origin</b>	China										

## Main Specification

ID		OD		WP		BP		Bending Radius	Plies	Weight	Length
mm	inch	mm	inch	Mpa	bar	Mpa	bar	mm	B	kg/m	m
13	1/2"	24	7/8"	1.6	16	4.8	48	180	1	0.5	20-50
16	5/8"	28	1-1/4"	1.6	16	4.8	48	210	1	0.55	20-50
19	3/4"	30	1-1/4"	1.6	16	4.8	48	240	1	0.7	20-50
22	7/8"	33	1-1/4"	1.5	15	4.5	45	280	2	0.9	20-50
25	1"	38	1-1/2"	1.5	15	4.5	45	375	2	1	20-50
32	1-1/4"	44	1-3/4"	1.5	15	4.5	45	420	2	1.3	20-50
38	1-1/2"	50	2"	1.2	12	3.6	36	500	2	1.5	20-50
50	2"	63	2-1/2"	1.2	12	3.6	36	630	2	1.95	20-50
57	2-1/4"	71	2-4/5"	1	10	3	30	860	3	2.2	20-50
64	2-1/2"	80	3-1/5"	1	10	3	30	960	3	2.6	20-50



76	3"	90	3-3/5"	1	10	3	20	1140	3	3	20-50
----	----	----	--------	---	----	---	----	------	---	---	-------

