GASOLINE ENGINE DRIVEN WATER PUMP

Gasoline high pressure water pump

Gasoline high pressure water pump Parameter Gasoline high pressure water pump Set Model 40HB-15G 50HB...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Gasoline engine driven water pump
Standard	EN
Weight / Size	Head lift(m) 55 65 80 Max.Suction head(m) 8 8 8 Engine Engine model 170F...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Gasoline engine driven water pump	**Model / SKU**	Gasoline-high-pressure-water-pump
Standard	EN	**Weight / Size**	Head lift(m) 55 65 80 Max.Suction head(m) 8 8 8 Engine Engine model 170F 170F 188F Engine type Single cylinder,4-stroke,air cooled gasoline engine Displacement(CC) 208 208 398 Max.output power(HP) 7.5 7.5 7.5 Rated spee(RPM) 3600 3600 3600 Fuel consumption ratio(g/kw.h) <395 <395 <390 starting method Recoil start Fuel tank capacity(L) 3.6 3.6 6 Options Electric starter N/A N/A Available Oil annunciator Available Available Available Pack Packing size(mm) 520x395x450 530x420x470 650x460x530 Net weight(Kgs) 23 26 42 Gross weight(Kgs) 25 28 46 20FT Qty 335 295 176
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

CONTENTS

- Gasoline high pressure water pump
- Parameter

Gasoline high pressure water pump

Parameter

Gasoline high pressure water pump				
Set	Model	40HB-15G	50HB-2G	80HB-3G
	Name	Gasoline high pressure water pump		
	Inlet/Outlet diameter	40mm(1.5")	50mm(2")	80mm(3")
	Cont. Capacity(m3/h)	20	30	40
	Cont. Head lift(m)	55	65	80
	Max.Suction head(m)	8	8	8

Engine	Engine model	170F	170F	188F
	Engine type	Single cylinder,4-stroke,air cooled gasoline engine		
	Displacement(CC)	208	208	398
	Max.output power(HP)	7.5	7.5	7.5
	Rated spee(RPM)	3600	3600	3600
	Fuel consumption ratio(g/kw.h)	<395	<395	<390
	starting method	Recoil start		
	Fuel tank capacity(L)	3.6	3.6	6
Options	Electric starter	N/A	N/A	Available
	Oil annunciator	Available	Available	Available
Pack	Packing size(mm)	520x395x450	530x420x470	650x460x530
	Net weight(Kgs)	23	26	42
	Gross weight(Kgs)	25	28	46
	20FT Qty	335	295	176