

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

GASOLINE ENGINE DRIVEN WATER PUMP

Gasoline sloop water pump

Gasoline sloop water pump Parameter Gasoline sloop water pump Set Model 80KB-3WG
100KB-4WG ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Gasoline engine driven water pump
Standard	EN
Weight / Size	Head lift(m) 25 25 25 25 Max.Suction head(m) 8 8 8 8 Engine Engine model...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Gasoline engine driven water pump	Model / SKU	Gasoline-slop-water-pump
Standard	EN	Weight / Size	Head lift(m) 25 25 25 25 Max.Suction head(m) 8 8 8 8 Engine Engine model 170F 177F GX160 GX270 Engine type Single cylinder,4-stroke,air cooled gasoline engine Displacement(CC) 208 270 208 243 Max.output power(HP) 7.5 10 5.5 9 Rated spee(RPM) 3600 3600 3600 3600 Fuel consumption ratio(g/kw.h) <395 <390 <390 <390 starting method Recoil start Fuel tank capacity(L) 3.6 3.6 3.6 6 Pack Packing size(mm) 585x450x495 615x445x540 565x445x460 665x460x610 Net weight(Kgs) 40 47 52 57 Gross weight(Kgs) 42 49 54 59 20FT Qty 260 192 260 172
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	■ Gasoline slop water pump	■ Parameter
-----------------	----------------------------	-------------

Gasoline slop water pump

Parameter

Gasoline slop water pump					
Set	Model	80KB-3WG	100KB-4WG	WP80	WP100
	Name	Gasoline slop water pump			
	Inlet/Outlet diameter	80mm(3")	100mm(4")	80mm(3")	100mm(4")
	Cont. Capacity(m3/h)	45	80	45	80
	Cont. Head lift(m)	25	25	25	25
	Max.Suction head(m)	8	8	8	8

Engine	Engine model	170F	177F	GX160	GX270
	Engine type	Single cylinder,4-stroke,air cooled gasoline engine			
	Displacement(CC)	208	270	208	243
	Max.output power(HP)	7.5	10	5.5	9
	Rated spee(RPM)	3600	3600	3600	3600
	Fuel consumption ratio(g/kw.h)	<395	<390	<390	<390
	starting method	Recoil start			
	Fuel tank capacity(L)	3.6	3.6	3.6	6
Pack	Packing size(mm)	585x450x495	615x445x540	565x445x460	665x460x610
	Net weight(Kgs)	40	47	52	57
	Gross weight(Kgs)	42	49	54	59
	20FT Qty	260	192	260	172