

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE GENERATOR

Gasoline welding generator

Gasoline welding generator Parameter Gasoline welding generator Generator Model 190 200G ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Generator
Standard	DIN
Weight / Size	Gasoline welding generator Parameter Gasoline welding generator Generato...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Generator	Model / SKU	Gasoline-welding-generator

Standard	DIN	Weight / Size	Gasoline welding generator Parameter Gasoline welding generator Generator Model 190 200G 250GE 300GE Rated output power(KW) 3.64 5 4 4 Rated output current(A) 140 140 250 300 Current adjustment(A) 50-200 50-200 80-250 80-300 Rated voltage(V) 26 26 32 32 Load rate 50% 50% 100% 100% Welding rod ϕ 2.0-4.0mm ϕ 2.0-4.0mm ϕ 3.2-5.0mm ϕ 3.2-5.0mm Rated power(KW) 4.5 5 7.5 9.6 Max.power(KW) 5 5.5 8 10 Rated frequency(Hz) 50 50 50 50 1-Phase AC voltage 220 220(380) 220 220 DC output 12V/8.3A 12V/8.3A 12V/8.3A 12V/8.3A Power factor(cos ϕ) 1 1 1 1 Rated rotation speed(rpm) 3000/3600 3000/3600 3000/3600 3000/3600 Noise level 72 72 72 72 Fuel tank capacity(L) 25 25 30 30 Structure type Open Frame type Engine Engine Model 188F 190F 620FE 670FE Type Single cylinder engine Two cylinder engine Displacement(ml) 389 407 620 670 Max.output power(hp)/Speed(Rpm) 13/3600 15/3600 22/3600 25/3600 Oil capacity(L) 1.1 1.1 1.4 1.9 starting method Recoil start Electric start Options Electric start system Available Available Available Available 3-Phase Ac voltage Available Available Available Available 4-wheel vehicle set Available Available Available Available 2-Wheel and handle Available Available Available Available Side panel Available Available Available Remote control system Available Available Available Available Available Available Available Available Pack Packing size(mm) 700x550x570 750x620x610 975x665x760 975x665x760 Net weight(Kgs) 88 90 160 160 Gross weight(Kgs) 92 99 168 168 20FT Qty 273 216 120 120
----------	-----	---------------	---

Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

■ Gasoline welding generator

■ Parameter

Gasoline welding generator**Parameter**

Gasoline welding generator					
Generator	Model	190	200G	250GE	300GE
	Rated output power(KW)	3.64	5	4	4
	Rated output current(A)	140	140	250	300
	Current adjustment(A)	50-200	50-200	80-250	80-300
	Rated voltage(V)	26	26	32	32
	Load rate	50%	50%	100%	100%
	Welding rod	φ2.0-4.0mm	φ2.0-4.0mm	φ3.2-5.0mm	φ3.2-5.0mm
	Rated power(KW)	4.5	5	7.5	9.6
	Max.power(KW)	5	5.5	8	10
	Rated frequency(Hz)	50	50	50	50
	1-Phase AC voltage	220	220(380)	220	220
	DC output	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A
	Power factor(cosφ)	1	1	1	1
	Rated rotation speed(rpm)	3000/3600	3000/3600	3000/3600	3000/3600
	Noise level	72	72	72	72
	Fuel tank capacity(L)	25	25	30	30
	Structure type	Open Frame type			
Engine	Engine Model	188F	190F	620FE	670FE
	Type	Single cylinder engine		Two cylinder engine	
	Displacement(ml)	389	407	620	670
	Max.output power(hp)/Speed(Rpm)	13/3600	15/3600	22/3600	25/3600
	Oil capacity(L)	1.1	1.1	1.4	1.9
	starting method	Recoil start		Electric start	

Options	Electric start system	Available	Available	Available	Available
	3-Phase Ac voltage	Available	Available	Available	Available
	4-wheel vehicle set	Available	Available	Available	Available
	2-Wheel and handle	Available	Available	Available	Available
	Side panel	Available	Available	Available	Available
	Remote control system	Available	Available	Available	Available
	ATS	Available	Available	Available	Available
Pack	Packing size(mm)	700x550x570	750x620x610	975x665x760	975x665x760
	Net weight(Kgs)	88	90	160	160
	Gross weight(Kgs)	92	99	168	168
	20FT Qty	273	216	120	120