

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## NAVIGATION BUOY

# HF Skirt Keel Lightbuoy

HF Skirt Keel Lightbuoy(in mm) Type Diameter(mm) Height of Superstructure Focal Height  
Lantern Power S...

ISO9001 Supplier

Class Certificate

Export Supply



## Key Highlights

Category	Navigation Buoy
Standard	EN
Weight / Size	HF Skirt Keel Lightbuoy(in mm) Type Diameter(mm) Height of Superstructur...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.




Technical Specifications			
<b>Category</b>	Navigation Buoy	<b>Model / SKU</b>	HF-Skirt-Keel-Lightbuoy
<b>Standard</b>	EN	<b>Weight / Size</b>	HF Skirt Keel Lightbuoy(in mm) Type Diameter(mm) Height of Superstructure Focal Height Lantern Power Source Draft Water Depth(m) Weight HF1.5-D2 1500 3204 1620 155mm Optional 1100 <10 1530kg HF1.8-D2 1800 4270 2940 155mm Optional 1330 <20 2410kg HF2.4-D2 2400 5700 3980 155mm Optional 1720 <30 5710kg HF3.0-D2 3000 7000 4175 155mm Optional 1650 <40 5000kg Table of chains for Tube Lightbuoy Type Bridle Chain Main Chain End Shackle Short Chain Joining Shackle Sinker Weight(T) HF1.5-D2 Φ22mmx2.76m 1Length Φ22mmx27.5m 1Length Φ32 4pcs Φ22mmx4.5m 1Length Φ22 1pcs 1.5 HF1.8-D2 Φ28mmx2.77m 1Length Φ28mmx27.5m 1Length Φ39 4pcs Φ28mmx4.5m 1Length Φ28 1pcs 2 HF2.4-D2 Φ34mmx5.26m 1Length Φ34mmx27.5m 1Length Φ48 4pcs Φ34mmx4.5m 1Length Φ34 1pcs 3 HF3.0-D2 Φ37mmx5.24m 1Length Φ37mmx27.5m 1Length Φ52 4pcs Φ37mmx4.5m 1Length Φ37 1pcs 4
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		

<b>CONTENTS</b>	■ HF Skirt Keel Lightbuoy(in mm)	■ Table of chains for Tube Lightbuoy
-----------------	----------------------------------	--------------------------------------

## HF Skirt Keel Lightbuoy(in mm)

Type	Diameter(mm )	Height of Superstructure	Focal Height	Lantern	Power Source	Draft	Water Depth(m)	Weight
HF1.5-D2	1500	3204	1620	155mm	Optional	1100	<10	1530kg



HF1.8-D2	1800	4270	2940	155mm	Optional	1330	<20	2410kg
HF2.4-D2	2400	5700	3980	155mm	Optional	1720	<30	5710kg
HF3.0-D2	3000	7000	4175	155mm	Optional	1650	<40	5000kg

## Table of chains for Tube Lightbuoy

Type	Bridle Chain	Main Chain	End Shackle	Short Chain	Joining Shackle	Sinker Weight(T)
HF1.5-D2	Φ22mmx2.76m 1Length	Φ22mmx27.5m 1Length	Φ32 4pcs	Φ22mmx4.5m 1Length	Φ22 1pcs	1.5
HF1.8-D2	Φ28mmx2.77m 1Length	Φ28mmx27.5m 1Length	Φ39 4pcs	Φ28mmx4.5m 1Length	Φ28 1pcs	2
HF2.4-D2	Φ34mmx5.26m 1Length	Φ34mmx27.5m 1Length	Φ48 4pcs	Φ34mmx4.5m 1Length	Φ34 1pcs	3
HF3.0-D2	Φ37mmx5.24m 1Length	Φ37mmx27.5m 1Length	Φ52 4pcs	Φ37mmx4.5m 1Length	Φ37 1pcs	4

