

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## NAVIGATION BUOY

# HF Tail Tube Lightbuoys

HF Tail Tube Lightbuoys(in mm) Type Diameter (mm) Height of Superstructure Focal Height  
Recommend Lantern ...

- ISO9001 Supplier
- Class Certificate
- Export Supply



### Key Highlights

Category	Navigation Buoy
Standard	EN
Weight / Size	HF Tail Tube Lightbuoys(in mm) Type Diameter (mm) Height of Superstrutur...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
<b>Category</b>	Navigation Buoy	<b>Model / SKU</b>	HF-Tail-Tube-Lightbuoys
<b>Standard</b>	EN	<b>Weight / Size</b>	HF Tail Tube Lightbuoys(in mm) Type Diameter (mm) Height of Superstruture Focal Height Recommend Lantern Power Source Draft (M) Water Depth (M) Weight (kg) HF1.5-D1 1500 2350 3463 155mm Optional 2149 3.5-15 1250 HF1.8-D1 1800 2350 3388 155mm Optional 2140 6-15 1970 HF2.4-D1 2400 3040 4228 155mm Optional 4050 13-40 5200 HF3.0-D1 3000 3450 4750 155mm Optional 3480 13-40 5800 HF3.6-D1 3600 3450 4988/5127 155mm/300mm Optional 3000 13-60 6500 Table of chains for Tube Lightbuoy Type Bridle Chain Main Chain End Shackle Short Chain Joining Shackle Sinker Weight(T) HF1.5-D1 $\Phi$ 22mmx2.76m 1Length $\Phi$ 22mmx27.5m 1Length $\Phi$ 32 4pcs $\Phi$ 22mmx4.5m 1Length $\Phi$ 22 1pcs 1.5 HF1.8-D1 $\Phi$ 28mmx2.77m 1Length $\Phi$ 28mmx27.5m 1Length $\Phi$ 39 4pcs $\Phi$ 28mmx4.5m 1Length $\Phi$ 28 1pcs 2 HF2.4-D1 $\Phi$ 34mmx5.26m 1Length $\Phi$ 34mmx27.5m 1Length $\Phi$ 48 4pcs $\Phi$ 34mmx4.5m 1Length $\Phi$ 34 1pcs 3 HF3.0-D1 $\Phi$ 37mmx5.24m 1Length $\Phi$ 37mmx27.5m 1Length $\Phi$ 52 4pcs $\Phi$ 37mmx4.5m 1Length $\Phi$ 37 1pcs 4 HF3.6-D1 $\Phi$ 40mmx5.24m 1Length $\Phi$ 40mmx27.5m 1Length $\Phi$ 56 4pcs $\Phi$ 40mmx4.5m 1Length $\Phi$ 40 1pcs 5
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		

<b>CONTENTS</b>	<ul style="list-style-type: none"> <li>■ HF Tail Tube Lightbuoys(in mm)</li> <li>■ Table of chains for Tube Lightbuoy</li> </ul>
-----------------	--



## HF Tail Tube Lightbuoys(in mm)

Type	Diameter (mm)	Height of Superstructure	Focal Height	Recommend Lantern	Power Source	Draft (M)	Water Depth (M)	Weight (kg)
HF1.5-D1	1500	2350	3463	155mm	Optional	2149	3.5-15	1250
HF1.8-D1	1800	2350	3388	155mm	Optional	2140	6-15	1970
HF2.4-D1	2400	3040	4228	155mm	Optional	4050	13-40	5200
HF3.0-D1	3000	3450	4750	155mm	Optional	3480	13-40	5800
HF3.6-D1	3600	3450	4988/5127	155mm/300mm	Optional	3000	13-60	6500

## Table of chains for Tube Lightbuoy

Type	Bridle Chain	Main Chain	End Shackle	Short Chain	Joining Shackle	Sinker Weight(T)
HF1.5-D1	Φ22mmx2.76m 1Length	Φ22mmx27.5m 1Length	Φ32 4pcs	Φ22mmx4.5m 1Length	Φ22 1pcs	1.5
HF1.8-D1	Φ28mmx2.77m 1Length	Φ28mmx27.5m 1Length	Φ39 4pcs	Φ28mmx4.5m 1Length	Φ28 1pcs	2
HF2.4-D1	Φ34mmx5.26m 1Length	Φ34mmx27.5m 1Length	Φ48 4pcs	Φ34mmx4.5m 1Length	Φ34 1pcs	3
HF3.0-D1	Φ37mmx5.24m 1Length	Φ37mmx27.5m 1Length	Φ52 4pcs	Φ37mmx4.5m 1Length	Φ37 1pcs	4
HF3.6-D1	Φ40mmx5.24m 1Length	Φ40mmx27.5m 1Length	Φ56 4pcs	Φ40mmx4.5m 1Length	Φ40 1pcs	5