

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

LIFE RAFT

HNF-A Throw Over Board Inflatable Liferaft

ISO9001 Supplier

Class Certificate

Export Supply

The throw over board inflatable liferaft is stowed in the container on the deck. Pulling the painter line, the liferaft inflates in the water. Specification: 6 persons, 10 persons, 15 persons, 20 persons and 25 persons...



Key Highlights

Category	Life Raft
Standard	ISO
Material	Rubber cloth etc.
Weight / Size	Model Capacity (person) Maximum Stowage height (m) SOLAS A PACK SOLAS B ...
Certificate	CCS, EC

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Life Raft	Model / SKU	HNF-A-Throw-Over-Board-Inflatable-Liferaft
Standard	ISO	Material	Rubber cloth etc.
Weight / Size	Model Capacity (person) Maximum Stowage height (m) SOLAS A PACK SOLAS B PACK Weight (kg) Dimension of container (mm) Weight (kg) Dimension of container (mm) HNF-A6 6 36 78 Φ 580×1100 61 Φ 550×1100 HNF-A10 10 97 Φ 600×1260 70 Φ 580×1100 HNF-A15 15 130 Φ 660×1300 92 Φ 600×1200 HNF-A20 20 157 Φ 680×1400 108 Φ 600×1300 HNF-A25 25 182 Φ 700×1400 125 Φ 680×1400 Approval:CCS And EC.	Certificate	CCS,EC
Warranty	12 Months unless specified otherwise	Origin	China

China HNF-A Throw Over Board Inflatable Liferaft:

The throw over board inflatable liferaft is stowed in the container on the deck. Pulling the painter line,the liferaft inflates in the water.

Specification:6 persons, 10 persons, 15 persons, 20 persons and 25 persons.

Model	Capacity (person)	Maximum Stowage height (m)	SOLAS A PACK		SOLAS B PACK	
			Weight (kg)	Dimension of container (mm)	Weight (kg)	Dimension of container (mm)
HNF-A6	6	36	78	Φ 580×1100	61	Φ 550×1100
HNF-A10	10		97	Φ 600×1260	70	Φ 580×1100
HNF-A15	15		130	Φ 660×1300	92	Φ 600×1200
HNF-A20	20		157	Φ 680×1400	108	Φ 600×1300
HNF-A25	25		182	Φ 700×1400	125	Φ 680×1400

Approval:CCS And EC.

CCS Specific Standard:

MSC,81(70) revised recommendation on life-saving appliances and MSC.226(82),MSC.295(87),MSC.323(89),MSC.48(66) the international life-saving appliance code and MSC.212(82),MSC.293(87) 1998 Amendment to the international convention for the safety of life at sea,1974

EC Specific Standard:

SOLAS 74 as amended Reg.III/4,13,21,26,31,34,Reg X/3

MSC,48(66) LSA Code, MSC/Circ.811 1994 and 2000 HSC code 8, IMO Res. MSC 81(70),

MSC/Cir.980,MSC.218(82),MSC,226(82)/,MSC.295(87), MSC/Circ.811, ISO 15738(2002)

