

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

## TURNBUCKLE

## Hook & Eye Turnbuckles HG-225 ,SS304 ORSS316

ISO9001 Supplier

Class Certificate

Export Supply

THREAD DIAMETER & TAKE UP (mm) WEIGHT EACH (kg) DIMENSIONS A D E  
CLOSED F J OPEN ...




### Key Highlights

Category	Turnbuckle
Standard	EN
Material	Stainless steel
Weight / Size	THREAD DIAMETER & TAKE UP (mm) WEIGHT EACH (kg) DIMENSIONS A D E CLOSED F...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
<b>Category</b>	Turnbuckle	<b>Model / SKU</b>	HOOK-EYE-TURNBUCKLES-HG-225-SS304-ORSS316
<b>Standard</b>	EN	<b>Material</b>	Stainless steel
<b>Weight / Size</b>	THREAD DIAMETER & TAKE UP (mm) WEIGHT EACH (kg) DIMENSIONS A D E CLOSED F J OPEN K CLOSED M OPEN N CLOSED R S X CLOSED BB 6.35x102 0.14 6.35 11.2 42.3 32.3 296 195 312 211 20.6 8.86 44.6 103 7.94x114 0.23 7.94 12.7 50.7 38.1 343 229 363 248 24.1 11.2 55.8 116 9.53x152 0.36 9.53 14.2 57.8 44.7 434 282 458 306 28.7 13.5 62.9 155 12.7x 152 0.82 12.7 16.5 89.7 57.9 497 345 528 376 35.8 18 90.4 153 12.7x305 1.22 12.7 16.5 89.2 57.9 809 504 840 535 35.8 18 89.9 314 15.9x152 1.35 15.9 22.9 108 71.4 536 384 574 422 45.7 22.4 110 153 15.9x305 1.97 15.9 22.9 107 71.4 850 545 888 583 45.7 22.4 110 315 19.1 x 152 1.91 19.1 24.9 129 84.6 574 422 621 469 53.1 25.4 130 156 19.1 x305 2.96 19.1 24.9 128 84.6 889 584 936 631 53.1 25.4 129 320 19.1 x 457 3.74 19.1 24.9 129 84.6 1194 737 1241 784 53.1 25.4 130 471 22.2x305 4.24 22.2 28.7 148 96 917 612 971 666 60.5 31.8 147 309 25.4x305 6.29 25.4 31.8 167 108 956 652 1018 713 76.2 36.3 165 309	<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

## China Hook & Eye Turnbuckles HG-225 ,SS304 ORSS316:



THREAD DIAMETER & TAKE UP (mm)	WEIGHT EACH (kg)	DIMENSIONS											
		A	D	E CLOS ED	F	J OPE N	K CLOS ED	M OPE N	N CLOS ED	R	S	X CLOS ED	BB
6.35x102	0.14	6.3 5	11. 2	42.3	32. 3	296	195	312	211	20. 6	8.8 6	44.6	10 3
7.94x114	0.23	7.9 4	12. 7	50.7	38. 1	343	229	363	248	24. 1	11. 2	55.8	11 6
9.53x152	0.36	9.5 3	14. 2	57.8	44. 7	434	282	458	306	28. 7	13. 5	62.9	15 5
12.7x 152	0.82	12. 7	16. 5	89.7	57. 9	497	345	528	376	35. 8	18	90.4	15 3
12.7x305	1.22	12. 7	16. 5	89.2	57. 9	809	504	840	535	35. 8	18	89.9	31 4
15.9x152	1.35	15. 9	22. 9	108	71. 4	536	384	574	422	45. 7	22. 4	110	15 3
15.9x305	1.97	15. 9	22. 9	107	71. 4	850	545	888	583	45. 7	22. 4	110	31 5
19.1 x 152	1.91	19. 1	24. 9	129	84. 6	574	422	621	469	53. 1	25. 4	130	15 6
19.1 x305	2.96	19. 1	24. 9	128	84. 6	889	584	936	631	53. 1	25. 4	129	32 0
19.1 x 457	3.74	19. 1	24. 9	129	84. 6	1194	737	1241	784	53. 1	25. 4	130	47 1
22.2x305	4.24	22. 2	28. 7	148	96	917	612	971	666	60. 5	31. 8	147	30 9
25.4x305	6.29	25. 4	31. 8	167	10 8	956	652	1018	713	76. 2	36. 3	165	30 9