

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## DIESEL ENGINE DRIVEN WATER PUMP

# High flow diesel pump station

High flow diesel pump station Parameter High flow diesel pump station Set Model WP100-5D  
WP125-6D ...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

**Category** Diesel engine driven water pump

**Standard** EN

**Weight / Size** Head lift(m) 40 30 32  
Max.Suction head(m) 6 4 4  
Engine Engine model 480Q...

**Certificate** ABS, LR, BV, DNVGL, NK, KR,  
IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
<b>Category</b>	Diesel engine driven water pump	<b>Model / SKU</b>	High-flow-diesel-pump-station
<b>Standard</b>	EN	<b>Weight / Size</b>	Head lift(m) 40 30 32 Max.Suction head(m) 6 4 4 Engine Engine model 480Q R4100D R6105ZD Engine type Single cylinder,4-stroke,air cooled, Diesel engine Displacement(L) 1.803 1.809 4.33 Max.output power(HP) 32 40 84 Compression 18:01 18:01 18:01 Rated spee(RPM) 1500 1500 1500 Fuel consumption(g/kw.h) <284 <284 starting method Electric start Fuel tank capacity(L) 100 100 100 Oil capacity(L) 4.5 6.5 6.5 Pack Packing size(mm) 2300x800x1380 2800x1400x1900 2900x1400x1900 Net weight(Kgs) 1470 1690 1960 Gross weight(Kgs) 1570 1790 1930
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		

## CONTENTS

- High flow diesel pump station

- Parameter

## High flow diesel pump station

### Parameter

High flow diesel pump station				
Set	Model	WP100-5D	WP125-6D	WP200-10D
	Name	High flow diesel pump		
	Inlet/Outlet diameter	100mm(4")	125mm(6")	250mm(10")
	Cont. Capacity(m3/h)	120	200	400
	Cont. Head lift(m)	40	30	32
	Max.Suction head(m)	6	4	4

Engine	Engine model	480Q	R4100D	R6105ZD
	Engine type	Single cylinder,4-stroke,air cooled, Diesel engine		
	Displacement(L)	1.803	1.809	4.33
	Max.output power(HP)	32	40	84
	Compression	18:01	18:01	18:01
	Rated speed(RPM)	1500	1500	1500
	Fuel consumption(g/kw.h)	<284	<284	<284
	starting method	Electric start		
	Fuel tank capacity(L)	100	100	100
	Oil capacity(L)	4.5	6.5	6.5
Pack	Packing size(mm)	2300x800x1380	2800x1400x1900	2900x1400x1900
	Net weight(Kgs)	1470	1690	1960
	Gross weight(Kgs)	1570	1790	1930