

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

HOSE CRIMPING MACHINE

Hose Cutter

The hose cutter has the features of rigid metal, small heat distortion, quick cutting, low wear, no crumb during cutting.

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Hose Crimping Machine
Standard	DIN
Material	This product is suitable for cutting various wire-netted colloidal pipes...
Weight / Size	length×width×height640×460×490mm Weight:70Kg Operation instruction Plug ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Hose Crimping Machine	Model / SKU	Hose-Cutter
Standard	DIN	Material	This product is suitable for cutting various wire-netted colloidal pipes, steel wire armoured rubber hoses, lined pipe, and cotton thread pipes whose diameters are less than 55mm.
Weight / Size	length×width×height640×460×490 mm Weight:70Kg Operation instruction Plug in.	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Hose Cutter:
- Operation instruction

- Parameters:

0.036084s

China Hose Cutter:

Hose cutter is a new product designed and developed, combined practical cutting feature, according to the advanced dividing techniques of the foreign countries. The core slice of this product applies imported dedicated slice. When it cuts the tube, it has the features of rigid metal, small heat distortion, quick cutting, low wear, no crumb during cutting. It applies balanced feed system, which makes the stress more even during the cutting. The unique buffer gear makes the cutting more stable and safer. This product is suitable for cutting various wire-netted colloidal pipes, steel wire armoured rubber hoses, lined pipe, and cotton thread pipes whose diameters are less than 55mm. It is ideal corollary equipment for hose repairing and manufacturing factory.

Parameters:

The max diameter of the cutting tube: 38mm

Powder: 3KW

Measurement: length×width×height 640×460×490mm

Weight: 70Kg

Operation instruction

Plug in. Check whether the direction of rotation of the cutting blades is consistent

with the direction of arrow. (Reversing prohibited) Adjust the positioning cock according to the diameter of the cut pipe in case there would be slant and slice problems. Put the cut pipe in place. Push the feed lever. Fulfill the cutting process.

Name:	Hose crimping machine, hose crimper, Pipe locking machine, Locking pipe machine, tube locking machine, tube crimping machine, tube crimper, pipe crimping machine, pipe crimper.
Usage	Crimping hose

Popular type:	DX68 Hydraulic high pressure hose crimping machine 6-51mm
	DSG51A Multi-function pipe crimping machine 6-51mm
	DSG51B Multi-function pipe crimper 6-51mm
	DSG75 High pressure hose crimper 6-75mm
	DSG150 High pressure hose crimping machine 6-150mm
	DSG102S hose crimping machine 6-102mm
	DSG250A Locking Pipe Machine 6-51mm
	DSG250B tube crimping Machine 6-51mm
	DSG250C Pipe Locking Machine 6-51mm
	JK400 tube crimper 6-64mm
	JKS200 Manual type hose crimping machine 6-32mm
	SK100 Numeric control locking pipe machine 4-89mm