

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CABLE CODE

IEEE Std. 45/1580 Marine & Offshore Cable

- ISO9001 Supplier
- Class Certificate
- Export Supply

Marine & Offshore Cable 2KV Power(Distribution) Cable Flame retardant: SP SPA SPB SPBS Fire resistant: FS-SP FS-SPA FS-SPB FS-SPBS 600V Power(Distribution) Cable Sin...

Loading product image...

Key Highlights

Category	Cable Code
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Cable Code	Model / SKU	IEEE-Std-45-1580-Marine-Offshore-Cable
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

Marine & Offshore Cable

- 2KV Power(Distribution) Cable
 - Flame retardant: SP SPA SPB SPBS
 - Fire resistant: FS-SP FS-SPA FS-SPB FS-SPBS
- 600V Power(Distribution) Cable
 - Single Core Flame retardant power cable
 - SP SPA SPB SPBS
 - SLSEL SLSELA SLSELB SLSELBS
 - SPM SPMA SPMB SPMBS

Single core fire-resistant power cable

FS-SP FS-SPA FS-SPB FS-SPBS
 FS-SLSEL FS-SLSELA FS-SLSELB FS-SLSELBS
 FS-SPM FS-SPMA FS-SPMB FS-SPMBS
 Two Cores Flame retardant power cable
 DP DPA DPB DPBS
 DPN DPNA DPNB DPNBS
 DLSEL DLSELA DLSELB DLSELBS
 DPM DPMA DPMB DPMBS

Two Cores Fire-resistant power cable

FS-DP FS-DPA FS-DPB FS-DPBS
 FS-DPN FS-DPNA FS-DPNB FS-DPNBS
 FS-DLSEL FS-DLSELA FS-DLSELB FS-DLSELBS
 FS-DPM FS-DPMA FS-DPMB FS-DPMBS

Three Cores Flame retardant power cable

TP TPA TPB TPBS
 TPN TPNA TPNB TPNBS
 TLSEL TLSELA TLSELB TLSELBS
 TPM TPMA TPMB TPMBS
 Three Cores Fire-resistant power cable
 FS-TP FS-TPA FS-TPB FS-TPBS
 FS-TPN FS-TPNA FS-TPNB FS-TPNBS
 FS-TLSEL FS-TLSELA FS-TLSELB FS-TLSELBS
 FS-TPM FS-TPMA FS-TPMB FS-TPMBS

Four Cores Flame retardant power cable

FP FPA FPB FPBS
 FPN FPNA FPNB FPNBS
 FLSEL FLSELA FLSELB FLSELBS
 FPM FPMA FPMB FPMBS
 Four Cores Fire-resistant power cable
 FS-FP FS-FPA FS-FPB FS-FPBS
 FS-FPN FS-FPNA FS-FPNB FS-FPNBS
 FS-FLSEL FS-FLSELA FS-FLSELB FS-FLSELBS
 FS-FPM FS-FPMA FS-FPMB FS-FPMBS

Five Cores Flame retardant power cable

QP QPA QPB QPBS
 QPN QPNA QPNB QPNBS
 QLSEL QLSELA QLSELB QLSELBS
 QPM QPMA QPMB QPMBS
 Five Cores Fire-resistant power cable
 FS-QP FS-QPA FS-QPB FS-QPBS
 FS-QPN FS-QPNA FS-QPNB FS-QPNBS
 FS-QLSEL FS-QLSELA FS-QLSELB FS-QLSELBS
 FS-QPM FS-QPMA FS-QPMB FS-QPMBS

600V Control Cable(Non-shield)

Flame retardant: CPN CPNA CPNB CPNBS
 CLSEL CLSELA CLSELB CLSELBS
 CPM CPMA CPMB CPMBS
 Fire resistant:
 FS-CPN FS-CPNA FS-CPNB FS-CPNBS
 FS-CLSEL FS-CLSELA FS-CLSELB FS-CLSELBS
 FS-CPM FS-CPMA FS-CPMB FS-CPMBS

600V Control Cable(Overall-shield)

Flame retardant: C(OS)PN C(OS)PNA C(OS)PNB
 C(OS)PNBS
 C(OS)LSEL C(OS)LSELA C(OS)LSELB C(OS)LSELBS
 C(OS)PM C(OS)PMA C(OS)PMB C(OS)PMBS
 Fire resistant:
 FS-C(OS)PN FS-C(OS)PNA FS-C(OS)PNB FS-C(OS)PNBS
 FS-C(OS)LSEL FS-C(OS)LSELA FS-C(OS)LSELB FS-C(OS)LSELBS
 FS-C(OS)PM FS-C(OS)PMA FS-C(OS)PMB FS-C(OS)PMBS

600V Control Cable(Overall Braid shield)

Flame retardant: C(OBS)PN C(OBS)PNA C(OBS)PNB
 C(OBS)PNBS
 C(OS)LSEL C(OS)LSELA C(OS)LSELB C(OS)LSELBS
 C(OBS)PM C(OBS)PMA C(OBS)PMB C(OBS)PMBS
 Fire resistant:
 FS-C(OBS)PN FS-C(OBS)PNA FS-C(OBS)PNB FS-C(OBS)PNBS
 FS-C(OS)LSEL FS-C(OS)LSELA FS-C(OS)LSELB FS-C(OS)LSELBS
 FS-C(OBS)PM FS-C(OBS)PMA FS-C(OBS)PMB FS-C(OBS)PMBS

600V Signal Cable (Individual Shield)—Pair twisted

TP (I/S)PN TP(I/S)PNA TP(I/S)PNB TP(I/S)PNBS
 TP(I/S)LSEL TP(I/S)LSELA TP(I/S)LSELB TP(I/S)LSELBS
 TP(I/S)PM TP(I/S)PMA TP(I/S)PMB TP(I/S)PMBS