

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

SHACKLE


JIS Standard Shackle

JIS Type Screw Pin Dee Shackle AISI 316 & 304 Stainless Steel Main Specification
Size...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Shackle
Standard	JIS
Material	JIS Type Screw Pin Dee Shackle AISI 316 & 304 Stainless Steel Main Speci...
Weight / Size	JIS Type Screw Pin Dee Shackle AISI 316 & 304 Stainless Steel Main Speci...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Shackle	Model / SKU	JIS-Standard-Shackle
Standard	JIS	Material	JIS Type Screw Pin Dee Shackle AISI 316 & 304 Stainless Steel Main Specification Size(mm) WLL(Tons) WT(kgs) 4 0.09 0.008 5 0.1 0.01 6 0.15 0.023 8 0.25 0.052 10 0.5 0.095 12 0.6 0.19 16 1.1 0.44 20 1.6 0.8 22 2.5 1.2 25 3 1.72 28 3.5 2.5 32 4.5 3.7
Weight / Size	JIS Type Screw Pin Dee Shackle AISI 316 & 304 Stainless Steel Main Specification Size(mm) WLL(Tons) WT(kgs) 4 0.09 0.008 5 0.1 0.01 6 0.15 0.023 8 0.25 0.052 10 0.5 0.095 12 0.6 0.19 16 1.1 0.44 20 1.6 0.8 22 2.5 1.2 25 3 1.72 28 3.5 2.5 32 4.5 3.7	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ China JIS Standard Shackle:	■ Main Specification
-----------------	-------------------------------	----------------------

China JIS Standard Shackle:



JIS Type Screw Pin Dee Shackle

AISI 316 & 304

Stainless Steel

Main Specification

Size(mm)	WLL(Tons)	WT(kgs)	 0.056089s
----------	-----------	---------	---

4	0.09	0.008
5	0.1	0.01
6	0.15	0.023
8	0.25	0.052
10	0.5	0.095
12	0.6	0.19
16	1.1	0.44
20	1.6	0.8
22	2.5	1.2
25	3	1.72
28	3.5	2.5
32	4.5	3.7