

SHACKLE


Japanese Type Straight Unloading Shackle

ISO9001 Supplier

Class Certificate

Export Supply


Japanese Type Straight Unloading Shackle Size Pin(Dia) t d B L ...



Key Highlights

| | |
|---------------|---|
| Category | Shackle |
| Standard | DIN |
| Weight / Size | Japanese Type Straight Unloading Shackle Size Pin(Dia) t d B L SWL 6 8 6... |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |



We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



| Technical Specifications | | | |
|--------------------------|--|---------------|--|
| Category | Shackle | Model / SKU | Japanese-Type-Straight-Unloading-Shackle |
| Standard | DIN | Weight / Size | Japanese Type Straight Unloading Shackle Size Pin(Dia) t d B L SWL 6 8 6 6 11 24 0.2 8 10 8 8 14 32 0.315 10 12 10 10 17 40 0.6 12 15 12 12 20 48 1 14 17 14 14 24 56 1.25 16 19 16 16 26 64 1.6 18 21 18 18 29 72 2 20 24 20 20 31 80 2.5 22 26 22 22 34 88 3.15 24 30 24 24 39 96 3.6 26 32 26 26 41 104 4 28 34 28 28 43 112 4.8 30 36 30 30 45 120 5 32 38 32 32 48 128 6.3 34 40 34 34 50 136 7 36 42 36 36 54 144 8 38 46 38 38 57 152 9 40 48 40 40 60 160 10 42 51 42 42 63 168 11 44 54 44 44 66 176 12.5 46 56 46 46 68 184 13 48 58 48 48 72 192 14 50 60 50 50 75 200 16 55 65 55 55 83 220 18 60 70 60 60 90 240 20 65 77 65 65 98 260 25 70 83 70 70 105 280 31.5 75 90 75 75 112 300 35 80 96 80 80 120 320 40 85 102 85 85 128 340 45 90 108 90 90 135 360 50 Chart: |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS | Warranty | 12 Months unless specified otherwise |
| Origin | China | | |

China Japanese Type Straight Unloading Shackle:

Japanese Type Straight Unloading Shackle



| Size | Pin(Dia) | t | d | B | L | SWL |
|------|----------|----|----|-----|-----|-------|
| 6 | 8 | 6 | 6 | 11 | 24 | 0.2 |
| 8 | 10 | 8 | 8 | 14 | 32 | 0.315 |
| 10 | 12 | 10 | 10 | 17 | 40 | 0.6 |
| 12 | 15 | 12 | 12 | 20 | 48 | 1 |
| 14 | 17 | 14 | 14 | 24 | 56 | 1.25 |
| 16 | 19 | 16 | 16 | 26 | 64 | 1.6 |
| 18 | 21 | 18 | 18 | 29 | 72 | 2 |
| 20 | 24 | 20 | 20 | 31 | 80 | 2.5 |
| 22 | 26 | 22 | 22 | 34 | 88 | 3.15 |
| 24 | 30 | 24 | 24 | 39 | 96 | 3.6 |
| 26 | 32 | 26 | 26 | 41 | 104 | 4 |
| 28 | 34 | 28 | 28 | 43 | 112 | 4.8 |
| 30 | 36 | 30 | 30 | 45 | 120 | 5 |
| 32 | 38 | 32 | 32 | 48 | 128 | 6.3 |
| 34 | 40 | 34 | 34 | 50 | 136 | 7 |
| 36 | 42 | 36 | 36 | 54 | 144 | 8 |
| 38 | 46 | 38 | 38 | 57 | 152 | 9 |
| 40 | 48 | 40 | 40 | 60 | 160 | 10 |
| 42 | 51 | 42 | 42 | 63 | 168 | 11 |
| 44 | 54 | 44 | 44 | 66 | 176 | 12.5 |
| 46 | 56 | 46 | 46 | 68 | 184 | 13 |
| 48 | 58 | 48 | 48 | 72 | 192 | 14 |
| 50 | 60 | 50 | 50 | 75 | 200 | 16 |
| 55 | 65 | 55 | 55 | 83 | 220 | 18 |
| 60 | 70 | 60 | 60 | 90 | 240 | 20 |
| 65 | 77 | 65 | 65 | 98 | 260 | 25 |
| 70 | 83 | 70 | 70 | 105 | 280 | 31.5 |
| 75 | 90 | 75 | 75 | 112 | 300 | 35 |
| 80 | 96 | 80 | 80 | 120 | 320 | 40 |
| 85 | 102 | 85 | 85 | 128 | 340 | 45 |
| 90 | 108 | 90 | 90 | 135 | 360 | 50 |

Chart:



| Size | Pin(Dia) | tand d | B | L3 |
|------|----------|--------|-----|-----|
| 10 | 12 | 10 | 20 | 40 |
| 12 | 15 | 12 | 24 | 48 |
| 14 | 17 | 14 | 28 | 56 |
| 16 | 20 | 16 | 32 | 64 |
| 20 | 24 | 20 | 40 | 80 |
| 22 | 27 | 22 | 44 | 88 |
| 24 | 29 | 24 | 48 | 96 |
| 26 | 32 | 26 | 52 | 104 |
| 28 | 34 | 28 | 56 | 112 |
| 30 | 36 | 30 | 60 | 120 |
| 34 | 42 | 34 | 68 | 136 |
| 38 | 45 | 38 | 76 | 152 |
| 40 | 48 | 40 | 80 | 160 |
| 42 | 51 | 42 | 84 | 168 |
| 48 | 58 | 48 | 96 | 192 |
| 52 | 62 | 52 | 104 | 208 |
| 58 | 68 | 58 | 116 | 232 |