

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE KITCHEN GALLEY

# K1-25/B Wall Mounted Marine Water Boiler

ISO9001 Supplier

Class Certificate

Export Supply


K1-25/B Wall Mounted Marine Water Boiler&nbsp;1. All stainless steel structure 2. Set up automatic water replenishment device 3. With water cut protection function 4. Equipped with drinkable indicator light and...



### Key Highlights

Category	Marine Kitchen Galley
Standard	EN
Material	SS
Weight / Size	Wall installation K1-25/B Wall Mounted Marine Water Boiler Drawing K1-25...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.




Technical Specifications			
<b>Category</b>	Marine Kitchen Galley	<b>Model / SKU</b>	K1-25-B-Wall-Mounted-Marine-Water-Boiler
<b>Standard</b>	EN	<b>Material</b>	SS
<b>Weight / Size</b>	Wall installation K1-25/B Wall Mounted Marine Water Boiler Drawing K1-25/B Wall Mounted Marine Water Boiler Parameters Model 2K1-20 K1-25/B K1-40/B PK-3/B PK-6/B Volume(L) 10.5L 25L 40L 24L 42L Voltage 220v-1PH-50Hz 380/415V-3PH-50Hz 440/480v 3ph-60Hz Power(kw) 2 3 6 3 6 Size(mm) 190X560X560 470X410X630 470X410X750 360X350X825 450X36X980 Weight(kg) 8.5 14 17 11 14	<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

CONTENTS			
	■ K1-25/B Wall Mounted Marine Water Boiler	■ K1-25/B Wall Mounted Marine Water Boiler Drawing	
	■ K1-25/B Wall Mounted Marine Water Boiler Parameters		

## K1-25/B Wall Mounted Marine Water Boiler

1. All stainless steel structure
2. Set up automatic water replenishment device
3. With water cut protection function
4. Equipped with drinkable indicator light and water temperature display
5. Wall installation

## K1-25/B Wall Mounted Marine Water Boiler Drawing



## K1-25/B Wall Mounted Marine Water Boiler Parameters

Model	2K1-20	K1-25/B	K1-40/B	PK-3/B	PK-6/B
Volume(L)	10.5L	25L	40L	24L	42L
Voltage	220v-1PH-50Hz		380/415V-3PH-50Hz 440/480v 3ph-60Hz		
Power(kw)	2	3	6	3	6
Size(mm)	190X560X560	470X410X630	470X410X750	360X350X825	450X36X980
Weight(kg)	8.5	14	17	11	14