

SENSOR

KZQ160A / KZQ200A Rectifier Module

KZQ160A / KZQ200A Rectifier Module Size : Principle : Type Parameter IT(AV) ITSM I2t VDRR VRRM IDRM IRRM VTM Tj Rjc VISO IH IGT VGT dv/dt A A ...

ISO9001 Supplier

Class Certificate

Export Supply



jinbomarine.com

Key Highlights

Category	Sensor
Standard	ISO
Weight / Size	KZQ160A / KZQ200A Rectifier Module Size :
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	


Technical Specifications

Category	Sensor	Model / SKU	KZQ160A-KZQ200A-Rectifier-Module
Standard	ISO	Weight / Size	KZQ160A / KZQ200A Rectifier Module Size :
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		


China KZQ160A / KZQ200A Rectifier Module:

KZQ160A / KZQ200A Rectifier Module

Size :



Principle :



Type	Parameter												
	IT(AV)	ITSM	I2t	VDRR VRRM	IDRM IRRM	VTM	Tj	Rjc	VISO	IH	IGT	VGT	dv/dt
	A	A	A2S	V	mA	V	°C	°C/W	V	mA	mA	V	V/μs

KZQ	25	870	3.7x103	800~1800	≤6	≤1.8	-40~150	0.6	≥2500	120	60	1.5	50~1000
	55	1400	9.8x103		≤8	≤1.8		0.4		120	60	1.5	
	90	1700	14x103		≤10	≤2.0		0.3		120	60	1.5	
	160	2500	30x103		≤12	≤2.0		0.16		120	80	1.8	100~1000
	200	3100	45x103		≤15	≤2.0		0.14		120	80	1.8	
	250	3900	75x103		≤15	≤2.2		0.12		120	80	1.8	
	300	5600	150x103		≤20	≤2.4		0.08		150	100	2.0	
	350	6500	210x103		≤20	≤2.4		0.06		150	100	2.0	
	400	7500	280x103		≤20	≤2.4		0.05		150	100	2.0	
	500	9400	440x103		≤20	≤2.4		0.04		200	100	2.0	
	600	11000	600×103		≤20	≤2.4		0.035		200	100	2.0	