

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

ANCHOR CHAIN

Kenter Shackle

Kenter Shackle is used for joining the anchor chain to meet the mooring requirement.

- ISO9001 Supplier
- Class Certificate
- Export Supply

Loading product image...

Key Highlights

Category	Anchor Chain
Standard	EN
Material	CM490/CM690
Weight / Size	U2 or U3 Size:
Certificate	ABS,LR, BV, GL,DNV,RINA, NK, KR, RS, IRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Anchor Chain	Model / SKU	Kenter-Shackle
Standard	EN	Material	CM490/CM690
Weight / Size	U2 or U3 Size:	Certificate	ABS,LR, BV, GL,DNV,RINA, NK, KR, RS, IRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China Kenter Shackle:

Kenter Shackle is to joining the anchor chains, detachable shackle.

Technical specification:

Grade: U2 or U3

Size: 12.5mm to 162mm

Class Certificate: ABS, LR, BV, DNV, GL, RINA, KR, NK,RS and CCS.



[Kenter Shackle](#)



Shackle Weight:

Chain diameter		Kenter shackle	Joining shackle	Anchor shackle	Swivel	swivel Forerunner	Swivel shackle Type A	Swivel shackle Type B
l	m	kg	kg	kg	kg	kg	kg	kg
n	m							
c								
h								
e								
s								
4	1	0.6	0.6	1.5	1.1	2.4	-	-
3	4							
/								
7								
8								
1	1	0.6	0.9	1.5	1.3	3.2	-	-
7	6							
/								
2								
7								
3	1	0.8	1.3	2.1	1.7	4.2	-	-
1	7.							
/	5							
4								
5								
3	1	1.1	1.8	2.4	2.1	5.5	-	-
/	9							
4								
1	2	1.3	2.2	3.2	2.2	6.1	-	-
3	0.							
/	5							
1								
6								
7	2	1.6	2.6	3.9	3.5	8.7	17.5	7.6
/	2							
8								
1	2	2.1	3.4	5.1	4.5	10.9	17.5	9.9
5	4							
/								
1								
6								
1	2	2.5	4.5	6.7	5.7	14.2	37.6	12.5
	5.							
	5							
1	2	3.3	5.1	8.1	7.2	17.4	37.6	15.7
1	7							
/								
1								
6								

1 3 / 1 6	3 0	4.1	6.3	10	9	22.3	91	19.4
1 1 / 4	3 1. 5	5	8.2	11.7	10.1	26.6	91	23.4
1 5 / 1 6	3 3. 5	6	9.5	14.2	12.7	32.2	107	28
1 3 / 8	3 5	6.8	11.3	16.5	14.9	38.3	107	33.4
1 1 / 2	3 8	8.4	13.4	19.5	17.4	42.6	107	39.4
1 9 / 1 6	3 9. 5	9.6	15.5	22.8	20.2	50.4	115	46
1 5 / 8	4 1. 5	11	18.1	26	25.4	59.5	115	53
1 3 / 4	4 4. 5	12.4	20.2	29.7	26.6	66.5	139	61
1 1 3 / 1 6	4 6	14.1	23.3	34.3	30.6	76.7	139	70
1 7 / 8	4 7. 5	16.7	27.5	38	35	89.8	139	79
1 1 5 / 1 6	4 9	19	31.6	45.2	40.5	101.8	264	89

2	5 1	20.3	34	50.9	49.5	117.2	264	101
2 1 / 8	5 4	23.7	38.5	53.8	50.5	124.9	270	113
2 3 / 1 6	5 5	26.7	46	63	55	137.9	270	126
2 5 / 1 6	5 5	27.2	46.8	70	64.6	156.4	294	140
2 3 / 8	6 0 5	27.7	51	77.5	71.3	171.3	294	155
2 7 / 1 6	6 2	35	59.2	86.3	77.7	187.4	294	171
2 1 / 2	6 3 5	38.4	62.7	96.3	83.3	202.2	403	188
2 5 / 8	6 6 5	42.3	75	99.6	88.7	223.1	403	206
2 1 / 1 6	6 8	46	76.7	102.6	100	247.5	403	225
2 3 / 4	6 9 5	48.7	90	126.2	107.8	269.3	464	246
2 7 / 8	7 3	53	95	138.2	125.6	306.2	464	278
3	7 6	60.7	107	146	143.8	347.8	464	314

3 1 / 1 6	7 7. 5	65.5	116	164	154	379.4	749	340
3 3 / 1 6	8 1	75	130	190	188	435.7	749	380
3 5 / 1 6	8 4	90	136	212	198	464	931	424
3 7 / 1 6	8 7. 5	96	160	237	215	521.7	931	472
3 9 / 1 6	9 0. 5	108	176	245	238	571	1191	522
3 5 / 8	9 2	114	196	257	252	616	1191	558
3 3 / 4	9 5	128	215	300	269	656	1191	614
3 1 3 / 1 6	9 7	133	222	335	301	713.1	-	654
3 1 5 / 1 6	1 0 0	146	252	353	330	785	1464	717
4	1 0 1. 5	158	267	378	344	835.5	1464	761

4 1 / 8	1 0 5	160	294	385	387	916	1466	830
4 1 / 4	1 0 8	180	305	420	428	991	1466	879
4 3 / 8	1 1 1	198	325	463	448	1061	1830	980
4 1 / 2	1 1 4. 5	204	345	485	460	1116	1830	1062
4 5 / 8	1 1 7. 5	225	365	528	475	1177	1830	1147
4 3 / 4	1 2 0. 5	250	400	570	547	1332	-	-
4 9 / 1 6	1 2 2	263	425	602	649	1480	-	-
4 7 / 8	1 2 4	290	465	632	680	1550	-	-
5	1 2 7	312	499	679	729	1663	-	-
5 1 / 8	1 3 0	333	536	729	784	1797	-	-
5 1 / 4	1 3 3. 5	350	561	762	820	1862	-	-
5 3 / 8	1 3 6. 5	392	627	852	912	2065	-	-

5 5 / 8	1 4 3	436	698	949	1012	2315	-	-
5 3 / 4	1 4 6	485	774	1053	1124	2578	-	-
6	1 5 2. 5	537	856	1164	1238	2839	-	-
6 2 / 1 1	1 5 7	591	943	1283	1360	3102	-	-
6 3 / 8	1 6 2	651	1036	1410	1490	3401	-	-