

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

INDUSTRIAL CHAINS

Korean Standard Link Chain

We are an experienced factory to supply chains of Beautiful Shape, Strong Welding as follows: G80 high strength chain, hatch cover chain, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of chain...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Industrial Chains
Standard	DIN
Material	carbon steel, Q235, Q195 or as per your requirement.
Weight / Size	We can manufacture according to your detail requestments, when you order...
Certificate	mill certificate

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Industrial Chains	Model / SKU	Korean-Standard-Link-Chain
Standard	DIN	Material	carbon steel, Q235,Q195 or as per your requirement.
Weight / Size	<p>We can manufacture according to your detail requestments, when you order our products please give us your detail requestments</p> <p>Korean standard link chain</p> <p>Nominal size Material size Inside length Inside width Length per pc Weight per pc MM MM MM MM M KG</p> <p>Short link 3 3 23 5.3 30 4.5 4 4 22 7.5 30 9 5 4.8 23.7 8.3 30 12.74 6 5.8 27.3 10 30 18.86 7 7 31 12 15 14.14 8 7.8 35 13.7 15 17.23 9 8.8 39 15.2 15 22.13 12 12 38 18 15 45 15 15 45 23 15 75.45 16 16 53 23 15 76.41 19 19 58 25 10 78.28</p> <p>Long link 4 3.9 34.3 6.2 30 7.26 4.5 4.5 44.4 9.2 30 9.46 5 4.8 45 11 30 11.31 6 6 47 12 30 18 7 6.8 50 11.4 15 11.19 12 12 50 18 15 42 15 14.8 64 23 15 61.44 19 19 75 25 10 71</p> <p>Supply scope:</p>	Surface	galvanized
Certificate	mill certificate	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	<ul style="list-style-type: none"> ■ China Korean Standard Link Chain: ■ Our advantages: ■ Supply scope: 	<ul style="list-style-type: none"> ■ Product description: ■ Working procedures for steel link chains:
-----------------	---	---

China Korean Standard Link Chain:



We are an experienced factory to supply chains of Beautiful Shape, Strong Welding as follows: G80 high strength chain, **hatch cover chain**, fishing chain, mining chain, conveyor chain, USA standard chain, DIN series of chains, Australian standard chain and Norwegian standard chain. We also can make the nonstandard or special tensile chain according to clients' requirements, high quality and reasonable price.

Product description:

1. material: carbon steel, Q235, Q195 or as per your requirement.
2. Surface treatment: Electrical galvanized, Hot dipped galvanized, Self-color, polished, Black-painted and other .
3. Application: Chains for lifting, hoist parts
4. Packaging choice:
 - a. gunny bag, b. Iron drum, c. plastic drum, d. wooden box e. plastic wheels f. others as required

Our advantages:

1. About welding quality:

Welding part is smooth, firm, beautiful by advanced technical machine
2. About galvanized quality: Our electric galvanized chains with thick zinc coating,

Galvanized processing time: 40 minutes, galvanized can guarantee 6 months not be rusty
3. We have strict quality control system in the whole process of producing chains
4. We can supply free samples to all customers

Working procedures for steel link chains:

1. Receive the purchase order
2. Product requirement
3. Buy raw material
4. Inspect raw material
5. Store raw material
6. Wire rod drawing
7. Bending
8. Welding
9. Check surface
10. Sampling and breaking test
11. Calibration
12. Proof load test
13. Zinc plated or HDG
14. Sampling and breaking test
15. Cutting
16. Final inspection
17. Packing
18. After-sale service

Small quantity and trial order can be accepted./Sample order accepted.

We have confidence about the quality of the product.



We can manufacture according to your detail requestments, when you order our products please give us your detail requestments

Korean standard link chain						
Nominal size		Material size	Inside length	Inside width	Length per pc	Weight per pc
MM		MM	MM	MM	M	KG
Short link	3	3	23	5.3	30	4.5
	4	4	22	7.5	30	9
	5	4.8	23.7	8.3	30	12.74
	6	5.8	27.3	10	30	18.86
	7	7	31	12	15	14.14
	8	7.8	35	13.7	15	17.23
	9	8.8	39	15.2	15	22.13
	12	12	38	18	15	45
	15	15	45	23	15	75.45
	16	16	53	23	15	76.41
	19	19	58	25	10	78.28
Long link	4	3.9	34.3	6.2	30	7.26
	4.5	4.5	44.4	9.2	30	9.46
	5	4.8	45	11	30	11.31
	6	6	47	12	30	18
	7	6.8	50	11.4	15	11.19
	12	12	50	18	15	42
	15	14.8	64	23	15	61.44
	19	19	75	25	10	71

Supply scope:

1. Ordinary mild steel link chain (Also known as English standard link chain)

Short link chain

Medium link chain

Long link chain

Ordinary decoration chain.

2. American standard link chain ASTM1980

Proof coil chain (G30), High test chain (G43), Transport chain (G70)

3. American standard link chain NACM1990



Proof coil chain (G30),High test chain (G43),Transport chain (G70)

4.American standard link chain NACM1996/2003

Proof coil chain (G30),High test chain (G43),Transport chain (G70)

5.German standard link chain

DIN5685Ashort link chain

DIN5685Clong link chain/DIN763 link chain

DIN764 link chain

DIN766 link chain)

6. Australian standard chains

Short link chain,Medium link chain,Long link chain,Grade 70 chain,Grade L chain

7.Norwegian standard link chain

8.Korean standard link chain

9.pets chain