


**MARINE LED LIGHT**

# LED JS302 Portable Flood Light

Application Applied to illumination of military ship and ship, decks, dock, plaza and working areas. Product Features 1. The shell is made of high quality stainless steel plate. 2. The lampshade...

- ISO9001 Supplier
- Class Certificate
- Export Supply



**Key Highlights**

<b>Category</b>	Marine LED Light
<b>Standard</b>	GB
<b>Material</b>	The shell is made of high quality stainless steel plate.
<b>Weight / Size</b>	Specification Type Voltage Power Replacement Liminous Flux CT Weight JS3...
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
<b>Category</b>	Marine LED Light	<b>Model / SKU</b>	LED-JS302-Portable-Flood-Light
<b>Standard</b>	GB	<b>Material</b>	The shell is made of high quality stainless steel plate.
<b>Weight / Size</b>	Specification Type Voltage Power Replacement Liminous Flux CT Weight JS302 110/220V 50/60HZ 30W 300W Halogen Lamp 2800lm 3000-6500K 3.0kg	<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

## China LED JS302 Portable Flood Light:

### Application

Applied to illumination of military ship and ship, decks, dock, plaza and working areas.

### Product Features

1. The shell is made of high quality stainless steel plate.
2. The lampshade is made of high-strength toughened glass.
3. LED Light Source, light soft, no glare, supper high uniformity and visual comfort, color $\geq$ 80%, light rate $>$ 70%, life time 30000h,energy saving 50%, new green environmental product, easy installation, general G12 lamp holder.
4. Environment temperature I s -20-45degree within the scope of work.
5. Protection class is IP56.

### Standard

1. Chapter 3, Part 4 of Classification Society Rules for Classification of Sea-going Steel Ships 2015 and its Amendments;
- 2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests.

### Specification



Type	Voltage	Power	Replacement	Luminous Flux	CT	Weight
JS302	110/220V 50/60HZ	30W	300W Halogen Lamp	2800lm	3000-6500K	3.0kg