

| Technical Specifications | | | |
|--------------------------|--|--------------------|--|
| Category | Marine LED Light | Model / SKU | LED-Portable-Light |
| Standard | GB | Material | Product Feature 1. Light body is polycarbonate material. |
| Weight / Size | 2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests Specification Type Voltage Power Lamp Holder CT Protection Class Weight CGD2QL 24-240V <=10W E27 3000-6500K IP56 1.8kg CGD3QL 24-240V <=10W E27 3000-6500K IP56 1.8kg CGD2 24/220V <=60W E27/B15d 3000K IP56 0.9kg CGD3 24/220V <=60W E27/B15d 3000K IP56 0.7kg JS30 220V 100/200/300W R7s 3000K IP56 2.6kg | Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |
| Warranty | 12 Months unless specified otherwise | Origin | China |

China LED Portable Light:

Application

Applied to bedside illumination of residential cabin in military ship and ship, recessed mounting type.

Product Feature

1. Light body is polycarbonate material.
2. LED Light Source, light soft, no glare, supper high uniformity and visual comfort, color>=80%, light rate>70%, life time 30000h,energy saving 50%, new green environmental product, easy installation, general G12 lamp holder.

Environment temperature I s -20-45degree within the scope of work

3. Protection class is IP22.

Standards

1. Chapter 3, Part 4 of Classification Society Rules for Classification of Sea-going Steel Ships 2015 and its Amendments;
- 2.GB7000.1-2015 , Luminaires –Part1:General requirements and tests

Specification



| Type | Voltage | Power | Lamp Holder | CT | Protection Class | Weight |
|--------|---------|--------------|-------------|------------|------------------|--------|
| CGD2QL | 24-240V | <=10W | E27 | 3000-6500K | IP56 | 1.8kg |
| CGD3QL | 24-240V | <=10W | E27 | 3000-6500K | IP56 | 1.8kg |
| CGD2 | 24/220V | <=60W | E27/B15d | 3000K | IP56 | 0.9kg |
| CGD3 | 24/220V | <=60W | E27/B15d | 3000K | IP56 | 0.7kg |
| JS30 | 220V | 100/200/300W | R7s | 3000K | IP56 | 2.6kg |