

OTHER MARINE VALVES & ACCESSORIES

LFB25 Series Priority Variable Pump Control Valve

ISO9001 Supplier

Class Certificate

Export Supply

LFB25 Series Priority Variable Pump Control Valve Principle : Port Connection Flanged connection,threaded connection Nominal Size 25 mm Rated Pressure 250 bar N...



jinbomarine.com

Key Highlights

Category	Other Marine Valves & Accessories
Standard	ISO
Weight / Size	Port Connection Flanged connection,threaded connection Nominal Size ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Other Marine Valves & Accessories	Model / SKU	LFB25-Series-Priority-Variable-Pump-Control-Valve
Standard	ISO	Weight / Size	Port Connection Flanged connection,threaded connection Nominal Size 25 mm Rated Pressure 250 bar Nominal Flow 250 L/min Output Flow 70 ~ 120 L/min Relief Valve Pressure Setting Range 100 ~ 315 bar Overload Valve Pressure Setting Range 100 ~ 315 bar Hydraulic Oil Temperature Range -20 ~ +100 °C Viscosity Range 10 ~ 380 mm2/s Permitted Fluid Contamination Class -/19/16 (ISO 4406:1999) Size:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China LFB25 Series Priority Variable Pump Control Valve:

LFB25 Series Priority Variable Pump Control Valve

Principle :



Port Connection	Flanged connection,threaded connection
Nominal Size	25 mm
Rated Pressure	250 bar
Nominal Flow	250 L/min
Output Flow	70 ~ 120 L/min
Relief Valve Pressure Setting Range	100 ~ 315 bar

Overload Valve Pressure Setting Range	100 ~ 315 bar
Hydraulic Oil Temperature Range	-20 ~ +100 °C
Viscosity Range	10 ~ 380 mm2/s
Permitted Fluid Contamination Class	-/19/16 (ISO 4406:1999)

Size:

