

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CAP

Large Diameter ASTM End Cap

Product Description: Pipe caps act as protective device and are designed to protect pipe ends of various shapes. The main purpose of using pipe caps is to waterproof the connections. They are also used to close the t...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Cap
Standard	JIS
Material	Q235, 20#, 10#, Q345 A234 WPB, WP5, WP9, WP11, ST37.0, ST35.8, ST37.2, ST35...
Weight / Size	Size 1/2"—72" Wall Thickness SCH10, SCH20, SCH30, STD, SCH40, SCH60, XS, SCH80, ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Cap	Model / SKU	Large-Diameter-ASTM-End-Cap
Standard	JIS	Material	Q235, 20#, 10#, Q345 A234 WPB, WP5, WP9, WP11, ST37.0, ST35.8, ST37.2, ST35.4/8, S T42, ST45, ST52, ST52.4 STP G38, STP G42, STPT42, STB42, STS42, STPT 49, STS49
Weight / Size	Size 1/2"—72" Wall Thickness SCH10, SCH20, SCH30, STD, SCH40, SCH60, XS, SCH80, SCH100, SCH120, SCH140, SCH160, XXS, DIN, JIS standard thickness Standard ASTM A234, ASTM A420, ANSI B16.9/B16.28/B16.25, ASME B16.9, JIS B2311-1997/2312, JIS B2311/B2312, DIN 2605-1/2617/2615, GB 12459—99, EN Standard etc.	Surface	Black painting
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

■ Product Description:

■ Specification:

Product Description:

Pipe caps act as protective device and are designed to protect pipe ends of various shapes. The main purpose of using pipe caps is to waterproof the connections. They are also used to close the the ends of hydraulic or pneumatic pipes and tubes. They are used in the plumbing apparatus of domestic, commercial and industrial water supply lines, machinery and processing equipment etc. They are also fitted on water pump lines with the sole purpose of removing air blocks. Pipe caps are highly demanded as an important category of pipe fittings.

Specification:

Size	1/2"—72"
Wall Thickness	SCH10, SCH20, SCH30, STD, SCH40, SCH60, XS, SCH80, SCH100, SCH120, SCH140, SCH160, XXS, DIN, JIS standard thickness

Standard	ASTM A234,ASTM A420,ANSI B16.9/B16.28/B16.25,ASME B16.9, JIS B2311-1997/2312,JIS B2311/B2312,DIN 2605-1/2617/2615, GB 12459—99,EN Standard etc.
Material	Q235, 20#, 10#, Q345 A234 WPB, WP5, WP9,WP11, ST37.0,ST35.8,ST37.2,ST35.4/8,ST42,ST45,ST52,ST52.4 STP G38,STP G42,STPT42,STB42,STS42,STPT49,STS49
Surface	Black painting,varnish paint,anti rust oil,hot galvanized,cold galvanized,3PE,etc.
Package	Plastic film,wooden cases ,wooden pallet,or on customers' request