

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE DAVIT AND CRANE

Launching Appliance of Free Fall Life Boat

ISO9001 Supplier

Class Certificate

Export Supply

Product Description: The Free Fall Davit placed at the stern of the ship consists of a launch ramp davit arm, winch and hydraulic unit Quick get away from sinking vessel Always standby for l...



Key Highlights

Category	Marine Davit and crane
Standard	EN
Weight / Size	The Free Fall Davit placed at the stern of the ship consists of a launch...
Certificate	ABS,LR, BV, GL,DNV,RINA, NK, KR, RS, IRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Marine Davit and crane	Model / SKU	Launching-Appliance-of-Free-Fall-Life-Boat
Standard	EN	Weight / Size	The Free Fall Davit placed at the stern of the ship consists of a launch ramp davit arm, winch and hydraulic unit Quick get away from sinking vessel Always standby for launch Launching ramp for free fall lifeboats in a welded or flanged box girder execution Suitable for all types of Free fall boats Other sizes/dimensions available on request Main Specification Type Working Load(Kn) Number of Person A(mm) B(mm) Breadth(mm) FH50 50 22 6350 5350 3600 FH55 55 22 6350 5350 3200 FH65 65 25 7130 6600 3400 FH70 70 30 7130 6600 3400 FH75 75 30-34 8400 6600 3400 FH90 90 40 9750 8400 4100
Certificate	ABS,LR, BV, GL,DNV,RINA, NK, KR, RS, IRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

■ Product Description:

■ Main Specification

Product Description:

The Free Fall Davit placed at the stern of the ship consists of a launch ramp davit arm, winch and hydraulic unit

Quick get away from sinking vessel

Always standby for launch

Launching ramp for free fall lifeboats in a welded or flanged box girder execution

Suitable for all types of Free fall boats

Other sizes/dimensions available on request

Main Specification

Type	Working Load(Kn)	Number of Person	A(mm)	B(mm)	Breadth(mm)
FH50	50	22	6350	5350	3600
FH55	55	22	6350	5350	



FH65	65	25	7130	6600	3400
FH70	70	30	7130	6600	3400
FH75	75	30-34	8400	6600	3400
FH90	90	40	9750	8400	4100