

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE GENERATOR

Low silent diesel generator

Low silent diesel generator Parameter Low silent diesel generator Generator Model 5GF-LDE 6GF-LDE ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Generator
Standard	EN
Weight / Size	Low silent diesel generator Parameter Low silent diesel generator Genera...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Generator	Model / SKU	Low-silent-diesel-generator
Standard	EN	Weight / Size	Low silent diesel generator Parameter Low silent diesel generator Generator Model 5GF-LDE 6GF-LDE Rated output power(KW) 4.2 4.8 Max.power(KW) 5 6 Rated frequency(Hz) 50/60 50/60 1-Phase AC voltage 110/220 110/220 DC output 12V/8.3A 12V/8.3A Power factor(cosφ) 1 1 Rated rotation speed(rpm) 3000/3600 3000/3600 Noise level 72 71 Fuel tank capacity(L) 16 16 Structure type Open Frame type Engine Engine Model 186FA 186FA Type Single cylinder,4-stroke,air-cooled,diesel engine Displacement(ml) 406 406 Max.output power(hp)/Speed(Rpm) 12/3600 12/3600 Oil capacity(L) 1.7 1.7 starting method Electric start Continuous work time(Hour) 8 8 Options 3-Phase Ac voltage Available Available 4-wheel vehicle set Available Available Double voltage switch Available Available Remote control system Available Available ATS Available Available Time meter Available Available Digital panel Available Available Pack Packing size(mm) 960x570x760 960x570x760 Net weight(Kgs) 157 157 Gross weight(Kgs) 168 168 20FT Qty 72 72
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS	<ul style="list-style-type: none"> ■ Low silent diesel generator ■ Parameter
-----------------	--

Low silent diesel generator

Parameter

Low silent diesel generator			
Generator	Model	5GF-LDE	6GF-LDE
	Rated output power(KW)	4.2	4.8
	Max.power(KW)	5	6
	Rated frequency(Hz)	50/60	50/60
	1-Phase AC voltage	110/220	110/220
	DC output	12V/8.3A	12V/8.3A
	Power factor(cosφ)	1	1
	Rated rotation speed(rpm)	3000/3600	3000/3600
	Noise level	72	71
	Fuel tank capacity(L)	16	16
	Structure type	Open Frame type	
Engine	Engine Model	186FA	186FA
	Type	Single cylinder,4-stroke,air-cooled,diesel engine	
	Displacement(ml)	406	406
	Max.output power(hp)/Speed(Rpm)	12/3600	12/3600
	Oil capacity(L)	1.7	1.7
	starting method	Electric start	
	Continuous work time(Hour)	8	8
Options	3-Phase Ac voltage	Available	Available
	4-wheel vehicle set	Available	Available
	Double voltage switch	Available	Available
	Remote control system	Available	Available
	ATS	Available	Available
	Time meter	Available	Available
	Digital panel	Available	Available
Pack	Packing size(mm)	960x570x760	960x570x760
	Net weight(Kgs)	157	157
	Gross weight(Kgs)	168	168
	20FT Qty	72	72