

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE FENDER

M type Rubber Fender

High energy absorption, low reaction force. The installation is firm, easy to change.

Specification: Size: Model h(mm) s(mm)...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Fender
Standard	EN
Material	Natural Rubber
Weight / Size	Size:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Fender	Model / SKU	M-type-Rubber-Fender
Standard	EN	Material	Natural Rubber
Weight / Size	Size:	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China M type Rubber Fender:
- Specification:
- Size:
- Performance List:


China M type Rubber Fender:

High energy absorption, low reaction force.

The installation is firm, easy to change.



Specification:



Size:

Model	h(mm)	s(mm)	w(mm)	b(mm)	C(mm)	d(mm)
M300H	300	396	60	204	140	750
M400H	400	528	80	272	150	1000
M500H	500	660	100	340	160	1250
M600H	600	776	120	408	170	1500
M800H	800	1035	160	544	180	2000

Performance List:

Specification	Compression Deformation 50%					
	High Reaction Force		Standard Reaction Force		Low Reaction Force	
	Force(KN)	Absorption(KN-M)	Force(KN)	Absorption(KN-M)	Force(KN)	Absorption(KN-M)
M300	257	29.4	213	24.3	182	20.6
M400	341	53	282	44.1	242	37.2
M500	427	83.3	354	68.6	304	58.8
M600	514	120	425	100	366	84.2
M800	685	213	566	177.3	486	150

