MARINE KITCHEN GALLEY

# MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System

ISO9001 Supplier

Class Certificate

Export Supply

MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System 1. All stainless steel structure 2 Automatic detection, fire extinguishing, alarm and automatic power-off device 3. Manual emergency start fire exti...




## Key Highlights

| | |
|---|---|
| **Category** | Marine Kitchen Galley |
| **Standard** | EN |
| **Material** | SS |
| **Weight / Size** | Power distribution stainless steel adjustable feet for easy installation... |
| **Certificate** | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications | | | |
|---|---|---|---|
| **Category** | Marine Kitchen Galley | **Model / SKU** | MFEX22-10-Marine-Deep-Frying-Pan-With-Fire-Extinguishing-System |
| **Standard** | EN | **Material** | SS |
| **Weight / Size** | Power distribution stainless steel adjustable feet for easy installation on board MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System Drawing MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System Parameters Model MFEX22-10 MFEX22-D20 Ansul-R102-10 Ansul-R102-20 Volume(L) 10 20 10 20 Voltage 380/415V-3PH-50Hz 440/480v 3ph-60Hz Power(kw) 7.1/9 14.2/9 7 14 Size(mm) 500x800x1750 650x800x1750 480x820x1800 780x820x1800 Weight(kg) 105 130 124 158 | **Certificate** | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |
| **Warranty** | 12 Months unless specified otherwise | **Origin** | China |


**CONTENTS**


- MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System
- MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System Parameters
- MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System Drawing


## MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System

1. All stainless steel structure
2 Automatic detection, fire extinguishing, alarm and automatic power-off device
3. Manual emergency start fire extinguishing device
4. Control the normally closed open contact of the external alarm or control the power output
5. Working thermostat, protection temperature limiter failure alarm function
6. Oil pan drain valve with oil storage barrel
7 Anti-wave handrails
8. Power distribution stainless steel adjustable feet for easy installation on board

## MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System Drawing




## MFEX22-10 Marine Deep Frying Pan With Fire Extinguishing System Parameters

| Model | MFEX22-10 | MFEX22-D20 | Ansul-R102-10 | Ansul-R102-20 |
|---|---|---|---|---|
| Volume(L) | 10 | 20 | 10 | 20 |
| Voltage | 380/415V-3PH-50Hz 440/480v 3ph-60Hz | | | |
| Power(kw) | 7.1/9 | 14.2/9 | 7 | 14 |
| Size(mm) | 500x800x1750 | 650x800x1750 | 480x820x1800 | 780x820x1800 |
| Weight(kg) | 105 | 130 | 124 | 158 |