

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE HOIST

Magnetic Lifter

Magnetic Lifter Model No. Rated
Lifting Capacity MAX Breaka...

ISO9001 Supplier

Class Certificate

Export Supply




Key Highlights

Category	Marine Hoist
Standard	EN
Weight / Size	Rated Lifting Capacity MAX Breakaway Force Max O...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.





Model No.	Rated Lifting Capacity	MAX Breakaway Force	Max Operating Temp	Dimensions(m)				Net Weight	Minimum Plate Thickness Requires
(Kg)	(Kg)	(°C)	L	B	H	R	(Kg)	(mm)	
FG-1	100	300	80	95	65	75	145	3	>4
FG-2	200	200	80	163	91	90	160	9	>6
FG-3	300	900	80	162	92	91	180	9	>8
FG-5	500	1500	80	233	122	128	220	23	>12
FG-6	600	1800	80	233	122	122	220	23	>15
FG-10	1000	3000	80	260	175	165	285	50	>25
FG-20	2000	6000	80	386	233	225	465	125	>40
FG-30	3000	9000	80	443	226	217	565	225	>60
FG-50	5000	10500	80	443	226	227	635	250	>60