

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CHAIN SLING

Main technical parameters

Products code Dia of rope(d) Main technical parameters (in.) (mm) A B ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights


Category	Chain Sling
Material	Galvanized Steel Wire Rope
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Chain Sling	Model / SKU	Main-technical-parameters
Material	Galvanized Steel Wire Rope	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China Main technical parameters:



Products code	Dia of rope(d)		Main technical parameters								
	(in.)	(mm)	A	B	C	D	F	G	H	J	K
			(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
KC006	42373	6	114.3	12.7	38.1	22.35	9.65	17.53	39.62	57.15	12.7
KC009	5/16-3/8	42591	123.95	15.75	42.93	24.64	12.7	20.57	42.93	57.15	17.53
KC012	7/16-1/2	42686	138.18	17.53	50.8	29.64	14.22	23.88	47.75	63.5	22.35
KC016	9/16-5/8	14-16	160.27	20.57	66.8	35.81	17.53	28.45	60.45	76.2	25.4
KC022	42433	19	192.02	26.92	76.2	42.16	20.57	31.75	69.85	90.42	31.75
KC022	42559	22	222.25	31.75	92.2	47.75	23.88	38.1	81.55	101.6	38.1
KC025	1	25	250.95	35.05	104.9	58.42	28.7	44.45	95.25	112.78	44.45
KC028	42682	28	279.4	38.1	114.3	65.02	31.75	50.8	104.9	127	50.8
KC035	11/4-13/8	31.5-35	307.85	41.4	134.62	71.37	38.1	57.15	120.65	139.7	57.15
KC038	42676	38	354.08	49.28	135.38	81.03	41.4	69.85	133.35	152.4	63.5
KC042	42597	42	384.3	54.1	146.05	82.55	44.45	76.2	139.7	165.1	69.85
KC047	13/4-17/8	45-47.5	438.15	55.63	171.45	95.25	50.8	79.5	162.05	190.5	76.2
KC053	2-21/8	50-53	495.3	61.98	193.8	111.25	57.15	95.25	187.45	215.9	82.55
KC060	21/4-23/8	57-60	536.7	66.8	215.9	127	63.5	101.6	209.55	228.6	92.2
KC066	21/2-25/8	63-66	596.9	79.25	241.3	139.7	73.15	114.3	234.95	247.65	101.6

KC073	23/4-27/8	70-73	644.65	79.25	273.05	158.75	79.25	123.95	285.83	279.4	123.95
KC080	3-31/8	76-80	685.8	82.55	292.1	171.45	85.85	133.25	292.1	304.8	133.35
KC085	31/4-33/8	82-85	742.95	101.6	311.15	184.15	91.95	146.05	311.15	330.2	146.05
KC092	31/2-35/8	89-92	787.4	101.6	330.2	196.85	98.55	165.1	330.2	335.6	158.75
KC100	12148	95-100	844.55	107.95	361.95	215.9	107.95	184.15	361.95	381	177.8