

QUICK RELEASE DISC TYPE TOWING HOOK

Manual Release Disc Type Towing Hook

ISO9001 Supplier

Class Certificate

Export Supply

Brief description: Quick Release Hooks can secure a vessel to a jetty and release a vessel from the jetty fast in an emergency. It can be adapted to ensure the best solution is delivered for most docking situatio...



Key Highlights

Category	Quick Release Disc Type Towing Hook
Standard	DIN
Material	Including Q235-A material, 35# steel, 45 # steel, 45Cr, EH36, 65Mn, Q345.Th...
Weight / Size	Safe working load(Kn) Release load(Kn) Weight(kg) A B C D E F G H K L M ...
Certificate	BV, CCS, ABS ,GL , mill certificate etc.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Quick Release Disc Type Towing Hook	Model / SKU	Manual-Release-Disc-Type-Towing-Hook
Standard	DIN	Material	Including Q235-A material,35# steel,45 # steel,45Cr, EH36, 65Mn, Q345.The goods can be designed according to your requirements.
Weight / Size	Safe working load(Kn) Release load(Kn) Weight(kg) A B C D E F G H K L M N O P MTD-001 70 70 79 512 712 185 235 100 45 280 291 65 125 60 112 97 260 MTD-002 150 150 174 670 905 255 325 140 60 340 377 100 250 65 144 106 284 MTD-003 250 250 414 923 1238 355 445 180 80 470 491 130 200 81 186 124 427 MTD-004 450 450 534 973 1323 355 455 200 100 470 190 130 200 115 218 158 462 MTD-005 650 650 918 1173 1598 454 464 220 110 600 608 162 250 125 256 173 487 MTD-006 1000 1000 1282 1068 1750 492 632 280 135 650 668 176 290 135 288 182 530 Applications:	Certificate	BV, CCS, ABS ,GL , mill certificate etc.
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ Brief description:	■ Popular model:
	■ Advantages:	■ Specification:
	■ Applications:	





Brief description:

Quick Release Hooks can secure a vessel to a jetty and release a vessel from the jetty fast in an emergency. It can be adapted to ensure the best solution is delivered for most docking situations.

Popular model:

5~7 ton, 8~15 ton, 16~25 ton, 30~45 ton, 50~65 ton, 70~100 ton.

Type: Manual disc type/hand operated disc type.

Material: Including Q235-A material, 35# steel, 45 # steel, 45Cr, EH36, 65Mn, Q345. The goods can be designed according to your requirements.

Certificate: BV, CCS, ABS, DNV, GL, mill certificate etc.

Advantages:


Adopt spark-proof and insulating design for quick release hook used in hazardous zone.

Long work life and minimum maintenance.

Towing flexible.

Specification:

Product No.	Safe working load(Kn)	Release load(Kn)	Weight(kg)	A	B	C	D	E	F	G	H	K	L	M	N	O	P
MTD-001	70	70	79	512	712	185	235	100	45	280	291	65	125	60	112	97	260
MTD-002	150	150	174	670	905	255	325	140	60	340	377	100	250	65	144	106	284
MTD-003	250	250	414	923	1238	355	445	180	80	470	491	130	200	81	186	124	427



MTD-004	450	450	534	973	1323	35 5	45 5	20 0	10 0	47 0	19 0	13 0	20 0	11 5	21 8	15 8	46 2
MTD-005	650	650	918	1173	1598	45 4	46 4	22 0	11 0	60 0	60 8	16 2	25 0	12 5	25 6	17 3	48 7
MTD-006	1000	1000	1282	1068	1750	49 2	63 2	28 0	13 5	65 0	66 8	17 6	29 0	13 5	28 8	18 2	53 0

Applications:

Container berth

General cargo berth

Oil & Gas terminals

LNG & LPG terminals

Offshore-FPSO

Ferry terminals