

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CB MARINE AIR PIPE HEAD

Marine Air Pipe Head with Float Ball CB/T3594-94 Type FS

ISO9001 Supplier

Class Certificate

Export Supply

Marine Air Pipe Head or can be called as marine air vent head, air pipe joint. It is used on the air pipe system of oil or water tank in the vessels and the offshore drilling platform. There are the types A/AS,B/BS,C/CS,...



Key Highlights


Category	CB Marine Air Pipe Head
Standard	DIN
Material	Cast Iron, Nodular Iron
Weight / Size	CB/T3594-94, GB1858-80, CBM1105-81, CBM1106-81 Flange Size as per GB569 ...
Certificate	CCS, BV, ABS, GL, LR, DNV, NK,RINA, KR,IRS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	CB Marine Air Pipe Head	Model / SKU	Marine-Air-Pipe-Head-with-Float-Ball-CB-T3594-94-Type-FS
Standard	DIN	Material	Cast Iron, Nodular Iron
Weight / Size	CB/T3594-94, GB1858-80, CBM1105-81, CBM1106-81 Flange Size as per GB569 or GB2501 Type Name Size Application A/AS Mushroom Air Pipe Head 50--250 on the air pipe top of oil & water tank B/BS Gooseneck Air Pipe Head C/CS Sounding & Ventilation Air Pipe Head 50--100 D/DS Disc Float Type Air Pipe Head for Oil Tank 50-450 on the air pipe top of oil tank E/ES Disc Float Type Air Pipe Head for Water Tank on the air pipe top of water tank FS Ball Float Type Air Pipe Head for oil&water Tank on the air pipe top of oil & water tank Main Material:	Certificate	CCS, BV, ABS, GL, LR, DNV, NK, RINA, KR, IRS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	<ul style="list-style-type: none"> ■ China Marine Air Pipe Head with Float Ball CB/T3594-94 Type FS: ■ Main Size List for FS Type(mm): ■ Main Material:
-----------------	--

China Marine Air Pipe Head with Float Ball CB/T3594-94 Type FS:



Marine Air Pipe Head or can be called as marine air vent head, air pipe joint. It is used on the air pipe system of oil or water tank in the vessels and the offshore drilling platform. There are the types A/AS, B/BS, C/CS, D/DS, E/ES. 0.044802s

Standard: CB/T3594-94, GB1858-80, CBM1105-81, CBM1106-81

Flange Size as per GB569 or GB2501

Type	Name	Size	Application
A/AS	Mushroom Air Pipe Head	50--250	on the air pipe top of oil & water tank
B/BS	Gooseneck Air Pipe Head		
C/CS	Sounding & Ventilation Air Pipe Head	50--100	
D/DS	Disc Float Type Air Pipe Head for Oil Tank	50-450	on the air pipe top of oil tank
E/ES	Disc Float Type Air Pipe Head for Water Tank		on the air pipe top of water tank
FS	Ball Float Type Air Pipe Head for oil&water Tank		on the air pipe top of oil & water tank

Main Material:

1-Body: Nodular Cast Iron, Cast Iron

2-Screen Cover: carbon Steel or Stainless Steel

3-Float Ball: Stainless Steel

4-Seal Ring: NBR

Main Size List for FS Type(mm):

nominal diameter	structure dimension			Thickness δ	flange connection dimension						float diameter s	weight(kg)	
	L	L1	H		D	D1	D2	b	n	d0		Oil tank	Water tank
50	125	160	250	7	165	125	102	20	4	18	65	12.50	12.60
65	170	200	285	7	185	145	122	20	4	18	88	19.10	19.20
80	200	225	325	7	200	160	133	20	8	18	105	22.40	22.60
100	245	275	380	8	220	180	158	22	8	18	130	34.10	34.40
125	300	325	440	8	250	210	184	22	8	18	150	49.30	49.80
150	345	370	510	9	285	240	212	24	8	22	190	94.70	95.70
200	450	475	630	9	340	295	268	24	8	22	245	157.00	158.00
250	565	590	750	10	395	350	320	26	12	22	305	222.00	223.00
300	670	700	870	11	445	400	370	26	12	22	345	302.00	304.00
350	780	820	1020	12	505	460	430	26	16	22	450	459.00	461.00